

Design and Development of High-Performance Intelligent Disaster Management System in IoT Paradigm – A Novel Architecture and Review on Challenges in real time Hazards Monitoring



Sachin Chavhan, Rahul Chavhan

Abstract: In recent years India is suffering from various natural disaster which have great effect on social life of people and large burden on disaster management authority. The high frequency disaster causes a serious loss of property, life and present more complex damage. Disaster management involves the detailed process of disaster response. A High-Performance Intelligent Disaster Management System can realize the complete disaster avoidance and reduction from satellite mission planning, data production, data acquisition, with the application of remote sensing and managing integrated rapid service. The main objective of proposed work is to overcome the limitations of disaster management with a novel design and development of IoT based platform for the application of disaster management system.

Keywords: IoT, Embedded System, Wireless Sensor Network, Sensors, Controllers, AI, ICT, e-Governance, Smart city, Smart Village, Edge/fog/Cloud, GIS, Satellite.

I. INTRODUCTION

Nowadays, Internet of Things (IoT) is an emerging research area in the world. An IoT is a system of heterogeneous, multidisciplinary objects (physical & virtual) embedded with electronics, software, sensors/actuators, and network connectivity that enables these objects to collect and exchange data. IoT is also termed as internet of everything. It is an advanced automation, analytics and technology enabler system which exploits sensing, networking processing, Storing, big data, and Artificial Intelligence (AI) to deliver complete system for a product or service [1-5]. IoT system allow greater transparency, control, and performance when applied to any system or industry shown in Fig 1 (a).




Fig 1: (a) IoT and associated technologies [1-10] and (b) Common natural disaster [22]

In recent days, it has been suggested that more than 30 billion smart devices would be connected to each other via IoT by 2020 [2]. Many Governments around the globe are racing to infuse IoT technology to build smart operations in smart cities/villages. These modern cities, capable of implementing smart IoT based infrastructures such as Highway surveillance [3], Green House [4], Pollution [5], Traffic [6-8] [9], Transport [10-11], Electricity [12-13], Parking [14], People Governance (e-Governance) [15], Water [18], Gases [21], and Disaster Management as shown in Fig 1 (b) [22]. Other application such as communicating, sustainable in real time to improve citizens' comfort [15] while developing in the environmental protection [16-17]. Also, IoT enabling technologies help to harvest energy [18-19] and preserve natural resources [20-21].

II. ROLE OF A DISASTER MANAGEMENT SYSTEM

A disaster is a sudden, calamitous event that seriously disrupts the functioning of a community or society and causes human, material, and economic or environmental losses [22]. Fig 1 (b) illustrate the common Natural Disasters. We have already witnessed several of disasters all around the world costing lives of millions of living things and yet to see more in coming years. Natural and artificial disasters are the sudden events that requires an immediate action by the stakeholders like (public safety authorities, NGO and government organizations). Information and communication technologies (IoT, WSN, GIS, Data analytics, Data acquisition Remote sensing, Edge/Fog/Cloud etc.) and smart cities plays a crucial role during Natural and artificial disasters phases [23-27].

Manuscript received on January 01, 2021.

Revised Manuscript received on January 05, 2021.

Manuscript published on February 28, 2021.

* Correspondence Author

Sachin Chavhan^{*}, Department of Electronics Engineering, Walchand College of Engineering, Sangli, India. Email: sachin.chavhan22@gmail.com

Rahul Chavhan, Department of Electrical Engineering, Sardar Patel College of Engineering, Mumbai, India. Email: chavhan.rd@gmail.com

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an [open access](https://creativecommons.org/licenses/by-nc-nd/4.0/) article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

Design and Development of High-Performance Intelligent Disaster Management System in IoT Paradigm – A Novel Architecture and Review on Challenges in real time Hazards Monitoring

Effective and productive disaster management is the key aspect in disaster management scenario to save the lives of millions of dwellers trapped in such situations and provide necessary rehabilitation facilities to them [28]. Disaster & Disaster Management is an important global problem and its need attention to build resilient system in urban and rural areas [29]. In IoT paradigm: Smart city (Urban) technology infrastructure, service model and challenges [30] needs to be addressed and Smart Rural Framework to mitigate the effects of Environmental conditions, Agriculture, and flooding using IoT and the Cloud services [31]. In developing countries like India, villages need to be smart. Efforts need to be taken to bring smartness in villagers.

The activities in villages should be linked to smart cities (Stakeholders in urban areas) to boost the parameter such as economy,

transportation, communication, technology etc. In a country like India, where majority of population lives in villages [32].

To make rural areas smart the existing infrastructure and services such as (Power, Transportation, Technological Connectivity, Health, Retail, Emergency system etc.) of urban areas (smart cities) needs to be upgraded to build smart villages. An IoT framework helps a bilateral flow of commodities like (cattle feeding, rationing, smart irrigation, and smart dairies) between rural and urban areas [32] [33]. There are several challenges to link the rural and urban stakeholders in real time situation such as, connectivity infrastructure [32] [33], Emergency/Disaster Management etc. [29-31].

III. PHASES OF DISASTER/EMERGENCY MANAGEMENT CYCLE

Disaster management is tool used to reduce, avoid, or control the potential losses of living and non-living things. Various governmental, non-governmental organization and stakeholders are involved in disaster management cycle to reduce the impact of disaster. Appropriate action at all circumstances in cycle leads to, better warning, reduce and control the calamity. During this, multiple actors (Govt. & Non-Govt.) works in isolation includes public interest, Government policies, Recovery, Mitigation, Infrastructure development planning, and services. The IoT enabled services and ICT technology during disaster phases plays a vital role for shaping the policies, plan, cause & effect and mitigate the vulnerability and effect on inhabitant, property, and infrastructure. Prevention, Mitigation, Preparedness, Response, and Recovery are key elements of disaster/emergency management cycle [34]. Each phase during the emergency management is separate entity and surveyed the use of IoT & ICT technology. The insight of all four phases as during in Disaster Management Systems are given below:

- **Prevention/Mitigation:** Prevention focuses on preventing hazardous situation (Human & Natural) or terrorist (both physical and biological). The risk of loss of life and damage of property can be prevented by planning and design standards through enabling technologies [35-37] such as ICT (IoT, Remote Sensing, satellite, GIS, Cloud. etc.).

- **Preparedness:** It is an important component in emergency. Preparedness is the readiness to respond in any emergency situation. It is continuous cycle to take corrective action [38-41].

- **Response:** It is an important constituent during rescue. Often during rescue operation logistic coordination and distribution is the key requirement [42]. Response phase aims to provide immediate assistance to the victims such as communication network, transport, food, shelter, medicine & emergency services [42-48].

- **Recovery:** The purpose of the recovery is to bring the affected area back normalcy with the help of Govt., NGO, and restoration services in post disaster phase. But real time smart architecture is obligatory in Intelligent disaster management [49], an IT [50] platform, mobile network [51] to provide services, data exchange and control the impact by disseminating situational information.

IV. METHODOLOGY AND ALGORITHM

Fig. 2. shows the design and development plan for distinctive entities (such as Smart Living, Smart Economy, Smart Mobility, Smart People, Smart Governance, Smart Environment, and Smart Village) offering diverse services in the context of IoT. We explore the underlying technology in disaster management during response and recovery phase for rural and urban linkages. Scientific knowledge is vital for orchestrating disastrous situation in IoT outlook while modelling disaster resilient architecture. Roadmap of an IoT provides emergency and demanding services of any THING, at any TIME, and at any PLACE is very stimulating.




Fig 2: Blueprint of IoT (For Smart City & Smart Village)

V. SCOPE OF WORK

Through IoT enabler's data aggregation, processing, analysis, network capabilities and services expedite to develop an application while ensuring that security and privacy domains should fulfilled. To create an interactive environment in critical situation numerous challenges, need to be addressed in IoT space (such as Technological standardization, connectivity, power management, security, etc.). The proposed study surveyed functionalities and components of emerging technology and its challenges at each layer of abstraction to implement an IoT ecosystem for disaster management. Fig. 3 characterizes the post disastrous real time situation.



Growth and complexities, intermittent, scalability of IoT network attracts a global infrastructure to enable advance services by interconnecting things based on existing and evolving interoperable ICTs. The functionality of the model is illustrated with the help of flowchart shown in Fig 4.




Fig 3: Layered architecture of Disaster Management during Response, Rescue and Recovery phase

Let us consider catastrophe situation like flood is to be happened in village or city. A village is the remote place, where claiming and exchanging of information is the key challenge. Also, a city is deal with resources and availability of technology during footing of calamity. We estimated and granted IoT services and other technological support to provide optimum assistance in real time. Flooding information is generated through sensors, and it is sensed by sensor network which is already deployed in disaster prone area. The clue is received at the sink node deployed in the sensor area network. The Sink node can be embedded system dedicated to perception of physical parameters. The conventional information system can also regularly disseminate the messages to the sink node. The service request to the basic service available to the sink node. Further at the same time this is to be sent gateway from Layer 1 to Layer 2 for further action via communication medium (like Internet, WLAN, ZigBee, HART, Z-wave, Bluetooth, Telecomm (2G/3G/4G LTE, 5G), Satellite, OFC, etc.)




Fig 4: Flowchart of proposed system

Gateway (Or Local server) processed the data and take corrective action (Edge/Fog computing). If basic services cannot accomplish after specified time delay, service request should be initiated by gateways to adjacent disaster management (Fire brigade, Police, Army, Govt. offices, NGO's, etc.) or to the upper layer for more utilities. The high-volume data processing is done in layer 3 comprised of

Artificial Intelligent (AI), Cloud Computing, and Big Data Analysis, Machine Learning algorithms, Mining, Graphical Information System (GIS), and Storage technologies. After Analysis, Inferring, and Decision; layer 4 offered additional integrated services to the layer 3. The applications and process in layer 4 administered and accounts a business value to save the inhabitants. Upper layer accomplished the IoT services like E-Ambulance, Smart Transport, Traffic Management, Smart governance, Smart People, Hospital, Emergency services, Disaster Management Services, Smart Mobility, Police, NGOs, Army and so on and so forth.

VI. CHALLENGES IN ARCHITECTURAL LAYER

Layer 1:

- Smart devices and sensing layer are the sensor network of physical objects that contains sensors, controllers, wireless sensor networks, embedded technology to communicate and sense or interact with their internal states or the external environment.

- In real time situation Efficient, scalable and associated architecture are pivotal for disaster resilient system. Sensor network should be autonomous and an adaptive to the environment.

- IoT LAN (Local Area Network) configured for building sensor network. While organizing in LAN jurisdiction the components like Unambiguous naming and addressing, Abundance of sleeping nodes, mobile and non-IP devices, energy efficiency, bandwidth management, large scale deployment, intermittent connectivity, mobility, coverage and maintenance of network needs to be addressed. Sensor cloud provides the solution to some extent [52-54].

Layer 2:

- It can implement several LAN and WAN, Forwards packets between LAN and WAN on the IP layer. Complexity of Networks (Growth of networks, Real-time connectivity of billions of devices, Traffic and load management, Existence of malicious nodes, selfish node, Interference among devices, Network management, Interoperability, Heterogeneity in networks, mobility, Protocol standardization within networks) is the de facto while considering real time situation.

- Fog and Edge computing should have high Performance, accessibility, portability, cross platform communication [55], reduce data latency, better data handling and optimization.

- Fog challenges (Power consumption - Fog use addition nodes, Power consumption is higher than centralized cloud. Data Security-Data generating nodes are distributed, providing authentication and authorization system for the whole nodes is not an easy task.

- Reliability- Maintaining data integrity (Data fusion) and availability for millions of nodes is difficult. Real time analysis is a primary requirement for minimizing latency. Dynamic analysis and decision making reduces danger and increase output, monitor huge number of nodes is not easy. Also, these frameworks cannot provide proper scalability and flexibility.

Design and Development of High-Performance Intelligent Disaster Management System in IoT Paradigm – A Novel Architecture and Review on Challenges in real time Hazards Monitoring

Layer 3:

- IoT proxy performs active application layer functions between IoT nodes and other entities (Security, Modeling and Analysis, Interfacing, Interoperability, Data storage, Big Data Analytics, Complexity management, Protocol standardization, IoT integration, Real-time solutions) [56].
 - In Cloud computing, cloud resources should be available over the network, should support standard mechanisms for information retrieval using traditional interfaces, should support heterogeneous. Clients. Cloud resource allocation should be rapid, elastic and automatic.
 - Resource usage should be recorded and monitored, Facility to dynamically control and optimize the resource usage. This facility should be transparent, available as a self-service between the service provider and consumer.
 - Limitations (Centralized control, switching cost, Limited flexibility, Data security and privacy, authentication)

Layer 4:

- The rescue is the challenging and critical task. Resource management needs dynamic techniques during recovery time. Proposed domain specific search engine for disaster information gathering.
 - The search engine architecture collects heterogeneous data of various events. The simulation is done based on collected data and corrective action taken such as organize emergent resources, and understand current damage and/or recovery status.
 - Transfer, storage and maintenance of huge volumes of data is expensive [57]. Data cleaning and purification is time consuming. Analytics on gigantic data volumes is processing intensive.
 - Delay due to large scale deployments [58]. Delay due to mobility of deployed nodes. Distribution of devices can affect monitoring tasks. Data fusion, data handling and analytics, Imperfection, Ambiguity, Conflicts, Alignment, Trivial features. Standardization (Interoperability, data semantics)

VII. CONCLUSION

This paper presented the usefulness of underlying information and communication technologies for disaster management like flooding. The novel architecture for linkages of rural and urban for real time monitoring of calamities in the context of IoT enabled services is proposed.

This paper studied the functionalities and services to build robust, intelligent and high-performance disaster resilient system. Therefore, it should implement IoT ecosystem for real time situation like flooding to saves a life of dwellers. But to characterize proposed working model, growth and complexities attracts challenges in scalability and implementation of infrastructure as a whole in abstraction layers.

This proposed work modeled the example of catastrophic situation like flooding happened in village. In remote places the exchanging of information is the key challenges. The novel layered architecture shows the various services involved like Govt. NGOs, Information and technologies (IoT, Remote Sensing and GIS, AI, Cloud computing, etc.).

During surveyed this literature proposed the challenges in layered architecture such as building sensor network, data

aggregation, analysis and real time decision.

The fusion of fog computing, remote sensing and Artificial intelligent needs to be studied and is the future scope for design and development of resilient disaster management system.

ACKNOWLEDGMENT

Special thanks to Dr. M. M. Murudi, I/C Principal, Sardar Patel College of Engineering, Mumbai and Director, Walchand College of Engineering, Sangli for support and motivation to publish and Dr. S. M. Rathod, Assistant Manager, Defense-Research and Development, Bharat Forge, Kalyani Centre for Technology & Innovation, Pune giving precious guidance and motivation for writing a paper.

REFERENCES

1. A. Scarfò, "Internet of Things, the Smart X enabler," 2014 International Conference on Intelligent Networking and Collaborative Systems, Salerno, 2014, pp. 569-574.
2. L. K. Aidasani, H. Bhadkamkar and A. K. Kashyap, "IoT: The kernel of smart cities," 2017 Third International Conference on Science Technology Engineering & Management (ICONSTEM), Chennai, 2017, pp. 8-11.
3. F. J. Villanueva, J. Albusac, L. Jiménez, D. Villa and J. C. López, "Architecture for Smart Highway Real Time Monitoring," 2013 27th International Conference on Advanced Information Networking and Applications Workshops, Barcelona, 2013, pp. 1277-1282.
4. L. Dan, C. Xin, H. Chongwei and J. Liangliang, "Intelligent Agriculture Greenhouse Environment Monitoring System Based on IOT Technology," 2015 International Conference on Intelligent Transportation, Big Data and Smart City, Halong Bay, 2015, pp. 487-490
5. Y. Mehta, M. M. M. Pai, S. Mallisery and S. Singh, "Cloud enabled air quality detection, analysis and prediction - A smart city application for smart health," 2016 3rd MEC International Conference on Big Data and Smart City (ICBDSC), Muscat, 2016, pp. 1-7.
6. P. Rizwan, K. Suresh and M. R. Babu, "Real-time smart traffic management system for smart cities by using Internet of Things and big data," 2016 International Conference on Emerging Technological Trends (ICETT), Kollam, 2016, pp. 1-7.
7. A. Sharif, J. Li, M. Khalil, R. Kumar, M. I. Sharif and A. Sharif, "Internet of things — smart traffic management system for smart cities using big data analytics," 2017 14th International Computer Conference on Wavelet Active Media Technology and Information Processing (ICCWAMTIP), Chengdu, 2017, pp. 281-284.
8. F. Malik, M. A. Shah and H. A. Khattak, "Intelligent Transport System: An Important Aspect of Emergency Management in Smart Cities," 2018 24th International Conference on Automation and Computing (ICAC), Newcastle upon Tyne, United Kingdom, 2018, pp. 1-6.
9. A. Frank, Y. S. Khamis Al Aamri and A. Zayegh, "IoT based Smart Traffic density Control using Image Processing," 2019 4th MEC International Conference on Big Data and Smart City (ICBDSC), Muscat, Oman, 2019, pp. 1-4.
10. S. Sharad, P. B. Sivakumar and V. A. Narayanan, "The smart bus for a smart city — A real-time implementation," 2016 IEEE International Conference on Advanced Networks and Telecommunications Systems (ANTS), Bangalore, 2016, pp. 1-6.
11. J. Carneiro, R. J. F. Rossetti, D. C. Silva and E. C. Oliveira, "BIM, GIS, IoT, and AR/VR Integration for Smart Maintenance and Management of Road Networks: a Review," 2018 IEEE International Smart Cities Conference (ISC2), Kansas City, MO, USA, 2018, pp. 1-7.
12. N. Ouerhani, N. Pazos, M. Aeberli and M. Muller, "IoT-based dynamic street light control for smart cities use cases," 2016 International Symposium on Networks, Computers and Communications (ISNCC), Yasmine Hammamet, 2016, pp. 1-5.

13. H. Ali, W. Y. Chew, F. Khan and S. R. Weller, "Design and implementation of an IoT assisted real-time ZigBee mesh WSN based AMR system for deployment in smart cities," 2017 IEEE International Conference on Smart Energy Grid Engineering (SEGE), Oshawa, ON, 2017, pp. 264-270.
14. S. Liou, Y. Hsieh and C. Chang, "Design and Implementation of a Smart Parking Management System for Smart Cities," 2018 IEEE International Conference on Consumer Electronics-Taiwan (ICCE-TW), Taichung, 2018, pp. 1-2.
15. A. B. Suman, "In Search for the Value of Connectivity: Accountable Citizens Fostering Accountable Governance via Connectivity: The Case of Environmental Health Policies," 2017 IEEE International Conference on Cloud Engineering (IC2E), Vancouver, BC, 2017, pp. 298-303.
16. V. S. Velladurai, M. Saravanan, R. Vigneshbabu, P. Karthikeyan and A. Dhilipkumar, "Human safety system in drainage, unused well and garbage alerting system for smart city," 2017 International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud) (I-SMAC), Palladam, 2017, pp. 6-9.
17. B. S. Malapur and V. R. Pattanshetti, "IoT based waste management: An application to smart city," 2017 International Conference on Energy, Communication, Data Analytics and Soft Computing (ICECDS), Chennai, 2017, pp. 2476-2486.
18. S. Mallapuram, N. Ngwum, F. Yuan, C. Lu and W. Yu, "Smart city: The state of the art, datasets, and evaluation platforms," 2017 IEEE/ACIS 16th International Conference on Computer and Information Science (ICIS), Wuhan, 2017, pp. 447-452.
19. S. K. Laha, A. Ganguly, R. Bhattacharya, P. K. Sadhu and A. K. Naskar, "IoT based Street Light Visibility and Water Logging Monitoring for Development of a Smart City," 2018 7th International Conference on Reliability, Infocom Technologies and Optimization (Trends and Future Directions) (ICRITO), Noida, India, 2018, pp. 671-677.
20. K. Soni, D. Waghela, R. Shah and M. Mohan, "Smart Well Monitoring System," 2018 International Conference on Smart City and Emerging Technology (ICSCET), Mumbai, 2018, pp. 1-5.
21. K. Keshamoni and S. Hemanth, "Smart Gas Level Monitoring, Booking & Gas Leakage Detector over IoT," 2017 IEEE 7th International Advance Computing Conference (IACC), Hyderabad, 2017, pp. 330-332.
22. H. N. Saha et al., "Disaster management using Internet of Things," 2017 8th Annual Industrial Automation and Electromechanical Engineering Conference (IEMECON), Bangkok, 2017, pp. 81-85.
23. S. Latre, P. Leroux, T. Coenen, B. Braem, P. Ballon and P. Demeester, "City of things: An integrated and multi-technology testbed for IoT smart city experiments," 2016 IEEE International Smart Cities Conference (ISC2), Trento, 2016, pp. 1-8.
24. T. Chou and Y. Hsu, "The strategic development and spatial information applications of smart cities in Taiwan," 2017 Pacific Neighborhood Consortium Annual Conference and Joint Meetings (PNC), Tainan, 2017, pp. 1-7.
25. C. Yang, G. Su and J. Chen, "Using big data to enhance crisis response and disaster resilience for a smart city," 2017 IEEE 2nd International Conference on Big Data Analysis (ICBDA), Beijing, 2017, pp. 504-507.
26. P. Sakhardande, S. Hanagal and S. Kulkarni, "Design of disaster management system using IoT based interconnected network with smart city monitoring," 2016 International Conference on Internet of Things and Applications (IOTA), Pune, 2016, pp. 185-190.
27. T. Higashino, H. Yamaguchi, A. Hiromori, A. Uchiyama and K. Yasumoto, "Edge Computing and IoT Based Research for Building Safe Smart Cities Resistant to Disasters," 2017 IEEE 37th International Conference on Distributed Computing Systems (ICDCS), Atlanta, GA, 2017, pp. 1729-1737.
28. A. Rauniyar, P. Engelstad, B. Feng and D. V. Thanh, "Crowdsourcing-Based Disaster Management Using Fog Computing in Internet of Things Paradigm," 2016 IEEE 2nd International Conference on Collaboration and Internet Computing (CIC), Pittsburgh, PA, 2016, pp. 490-494.
29. Z. N. K. Wafi, M. F. Abd.Malek, S. H. Alnajjar and R. B. Ahmad, "Early warning system for Disaster management in rural area," 2015 International Symposium on Technology Management and Emerging Technologies (ISTMET), Langkawai Island, 2015, pp. 369-372.
30. W. Velásquez, A. Munoz-Arcatales, W. Yanez and J. Salvachúa, "Resilient smart cities: An approach of damaged cities by natural risks," 2018 IEEE 8th Annual Computing and Communication Workshop and Conference (CCWC), Las Vegas, NV, 2018, pp. 591-597.
31. S. Shrestha and B. Drozdenko, "Smart Rural Framework Using IoT Devices and Cloud Computing," 2019 IEEE Green Technologies Conference (GreenTech), Lafayette, LA, USA, 2019, pp. 1-4.
32. Jayashree, A. Manami, H. Harshitha and R. Mohan, "IoT based Smart Village," TENCON 2018 - 2018 IEEE Region 10 Conference, Jeju, Korea (South), 2018, pp1219-1223.
33. J. S. Vuppapapati, S. Kedari, A. Ilapakurthy, A. Ilapakurthy and C. Vuppapapati, "Smart Dairies — Enablement of Smart City at Gross Root Level," 2017 IEEE Third International Conference on Big Data Computing Service and Applications (BigDataService), San Francisco, CA, 2017, pp. 118-123.
34. D. M. Neal, "Reconsidering the Phases of Disaster," International Journal of Mass Emergencies and Disasters, vol. 15, pp. 239-264, August 1997.
35. B. Li and J. Liu, "Application of Remote Sensing Technique for Disaster Management," 2006 IEEE International Symposium on Geoscience and Remote Sensing, Denver, CO, 2006, pp. 283-286.
36. Prachi Rajarapolu and V. K. Sharma, "Design and analysis of satellite-based disaster warning system - II," TENCON 2007 - 2007 IEEE Region 10 Conference, Taipei, 2007, pp. 1-4.
37. A. Niazi, "Digital disaster management ecosystem-a futuristic approach for improving the disaster management system in Pakistan," 4th IEEE International Conference on Digital Ecosystems and Technologies, Dubai, 2010, pp. 222-227.
38. L. Zheng et al., "Disaster SitRep - A vertical search engine and information analysis tool in disaster management domain," 2012 IEEE 13th International Conference on Information Reuse & Integration (IRI), Las Vegas, NV, 2012, pp. 457-465.
39. Rauniyar, P. Engelstad, B. Feng and D. V. Thanh, "Crowdsourcing-Based Disaster Management Using Fog Computing in Internet of Things Paradigm," 2016 IEEE 2nd International Conference on Collaboration and Internet Computing (CIC), Pittsburgh, PA, 2016, pp. 490-494.
40. M. S. K. Awan, A. Nadeem and S. Amer, "DMSim: A virtual environment for managing natural disasters," 2017 14th International Conference on Smart Cities: Improving Quality of Life Using ICT & IoT (HONET-ICT), Irbid, 2017, pp. 26-30.
41. K. Takahagi, T. Ishida, N. Uchida and Y. Shibata, "Proposal of a Common Infrastructure System for Real-Time Disaster Information Transmission," 2016 30th International Conference on Advanced Information Networking and Applications Workshops (WAINA), Crans-Montana, 2016, pp. 673-676.
42. M. Kartiwi and T. S. Gunawan, "Framework for Logistics Coordination and Distribution Mobile Application in Disaster Management," 2013 International Conference on Advanced Computer Science Applications and Technologies, Kuching, 2013, pp. 461-465.
43. C. Yang, G. Su and J. Chen, "Using big data to enhance crisis response and disaster resilience for a smart city," 2017 IEEE 2nd International Conference on Big Data Analysis (ICBDA) (, Beijing, 2017, pp. 504-507.
44. P. Yuan, H. Gong and W. Peng, "A new emergency management approach in disaster operation management based on the activity network technology," 2017 Chinese Automation Congress (CAC), Jinan, 2017, pp. 2961-2964.
45. J. J. Wellington and P. Ramesh, "Role of Internet of Things in disaster management," 2017 International Conference on Innovations in Information, Embedded and Communication Systems (ICIIECS), Coimbatore, 2017, pp. 1-4.
46. Y. Kim, S. Jung, D. Gu, H. Kim and C. Song, "IoT Sensor Based Mobility Performance Test-Bed for Disaster Response Robots," 2017 6th IIAI International Congress on Advanced Applied Informatics (IIAI-AAI), Hamamatsu, 2017, pp. 990-991.
47. M. Kamruzzaman, N. I. Sarkar, J. Gutierrez and S. K. Ray, "A study of IoT-based post-disaster management," 2017 International Conference on Information Networking (ICOIN), Da Nang, 2017, pp. 406-410.
48. M. Gusev, S. Ristov, R. Prodan, M. Dzanko and I. Bilic, "Resilient IoT eHealth solutions in case of disasters," 2017 9th International Workshop on Resilient Networks Design and Modeling (RNDM), Alghero, 2017, pp. 1-7.
49. R. W. Saputra and S. H. Supangkat, "Intelligent Disaster Management System based on Service Engineering," 2014 International Conference on ICT For Smart Society (ICISS), Bandung, 2014, pp. 260-263.

Design and Development of High-Performance Intelligent Disaster Management System in IoT Paradigm – A Novel Architecture and Review on Challenges in real time Hazards Monitoring

50. G. Lichtenegger et al., "Identification of information gaps in civil-military cooperation in disaster management," 2015 2nd International Conference on Information and Communication Technologies for Disaster Management (ICT-DM), Rennes, 2015, pp. 122-129.
51. W. P. Y. S. Purnomo, T. Devi Indriasari, K. Anindito and Irvan, "A study of disaster situation management using mobile technology in Yogyakarta," 2015 International Conference on Data and Software Engineering (ICoDSE), Yogyakarta, 2015, pp. 31-36.
52. Madoka Yuriyama and Takayuki Kushida, "Sensor-Cloud Infrastructure - Physical Sensor Management with Virtualized Sensors on Cloud Computing", Research Report, IBM Research - Tokyo IBM Japan, Ltd., 2010
53. S. Misra; S. Chatterjee; M. S. Obaidat, "On Theoretical Modeling of Sensor Cloud: A Paradigm Shift From Wireless Sensor Network," IEEE Systems Journal, vol.PP, no.99, pp.1-10
54. S. Chatterjee, R. Ladia and S. Misra, "Dynamic Optimal Pricing for Heterogeneous Service-Oriented Architecture of Sensor-Cloud Infrastructure," IEEE Transactions on Services Computing, vol. 10, no. 2, pp. 203-216, 2017.
55. N. Suri et al., "Exploiting smart city IoT for disaster recovery operations," 2018 IEEE 4th World Forum on Internet of Things (WF-IoT), Singapore, 2018, pp. 458-463.
56. A. Boukerche and R. W. L. Coutinho, "Smart Disaster Detection and Response System for Smart Cities," 2018 IEEE Symposium on Computers and Communications (ISCC), Natal, 2018, pp. 01102-01107.
57. S. A. Shah, D. Z. Seker, M. M. Rathore, S. Hameed, S. B. Yahia and D. Draheim, "Towards Disaster Resilient Smart Cities: Can Internet of Things and Big Data Analytics be the Game Changers?" IEEE Access, vol. 2, pp. 1-19, 2019.
58. T. Higashino, H. Yamaguchi, A. Hiromori, A. Uchiyama and K. Yasumoto, "Edge Computing and IoT Based Research for Building Safe Smart Cities Resistant to Disasters," 2017 IEEE 37th International Conference on Distributed Computing Systems (ICDCS), Atlanta, GA, 2017, pp. 1729-1737.
59. News-Residents of Landslides-prone villages seek shift to safety-The Times of India, Pune,7/28/2019.
60. News-Indian Express, Times of India, NDRF, Millitary rescue 1050 from train after 17-hour ordeal, July 28,2019.
61. News-Hindustan Times "Nine dead after rescue boat capsizes in flood-hit Maharashtra" August 8,2019.

AUTHORS PROFILE



Sachin U. Chavhan received his degree in B.E. Electronics and Telecommunication form University of Pune, India in 2010 and his M.E. in Electronics and Telecommunication (VLSI and Embedded System Design) form North Maharashtra University, India in 2013. He is currently working as Lecturer in Walchand College of Engineering,

Sangli, India. Research interest includes VLSI, IoT, Embedded System Design and Machine Learning.



Rahul D. Chavhan received his degree in B.E. Electronics and Telecommunication form University of Pune, India in 2010 and his M.E. in Electronics and Telecommunication (VLSI and Embedded System Design) form North Maharashtra University, India in 2013. He is currently working as an Assistant Professor in Sardar Patel College of Engineering,

Mumbai, India. Research interest includes VLSI, IoT, Embedded System Design.