


Analysis on Disasters Caused by Climatic Changes in Nature



Akhil Kumar Reddy. A, Swaroop. S, Achammagari Nitika, Sai Pranav Kumar. P, P. Rishitha

Abstract: *On Earth, humans are not the only living beings who are living and there is a lot of wrongdoing by humans on Earth. As our body works, the earth also works. In our body, if we have some disease or something else our immune system starts working, in the same way, the earth has some effects of our human actions like pollution deforestation, and all other harms which we do to nature which affect the flow of nature in corresponding ways like climate change which causes natural disaster to form on our earth which cannot be controlled by humans. Due to heavy rain in the oceans water level gets more and more and we have tsunamis due to high wind we have cyclones that tear apart anything that gets in their way. These are all caused by different climate conditions. These climate conditions can be determined by their parameters like humidity, wind, temperature, etc. These affect the climate to change in a drastic way which leads to natural disaster formation. This four our daily life as it is and destroys anything in their ways. Let's check some of those parameters in detail and some disasters which had happened due to those climate changes.*

Keywords: *Disaster, Temperature, Forecast, Wind, Humidity, Dew, Drought, Storms, Wildfire.*

I. INTRODUCTION

Weather changes are a major global problem right now, and the World is becoming more susceptible to it. Climate change refers to changes in Earth's climate. It discusses how the climate has evolved over many years, from a few decades. The climate of the Earth has always evolved and changed. Natural disasters, such as floods, forest fires, and volcanic eruptions, have contributed to some of these changes. However, many of them are the result of human activity.

Deforestation, the burning of fossil fuels, livestock farming, and other human activities.[1]

All forms of life on Earth will be affected if the current climate change trend continues in the same way. The monsoon patterns will change, the earth's temperature will rise, sea levels will rise, and storms, volcanic eruptions, and other natural disasters will happen more often. People won't be able to drink clean water or breathe clean air because the environment will become polluted. Earthly existence will come to an end.[4]

II. WEATHER PARAMETERS

A. Maximum Temperature Forecast

The day's sunshine is used to calculate the maximum temperature that will be predicted. The temperature conditions are significantly affected by cold and warm advection. The temperature of the air is very important for agriculture. Crop plants thrive in temperatures that are conducive to their development. The ideal temperature should be maintained for normal growth [2].

B. Minimum Temperature Forecast

The night's cloudy conditions are the basis for the forecast of the minimum temperature. The temperature at night is significantly influenced by cold and warm advection. The minimum temperature stays close to the freezing point throughout the winter. The forecast of the minimum temperature is crucial for protecting crops from damage caused by low temperatures. The temperature rises throughout the summer, reaching its highest point in May and June [8]. Warm advection causes an abrupt temperature rise. The result is an intensified heat wave that is harmful to crop plants. In a similar vein, cold advection causes a drop in temperature during the winter. It results in frosty nights and cold waves.

C. Wind Forecast

The horizontal pressure gradient that has been established between the two stations causes the mass of air to move, which results in wind. The isobar spacing is used to determine the wind forecast. The winds are stronger and closer to the isobars and vice versa. Strong surface winds are typically linked to cyclonic circulation or low-pressure regions. [3] The surface chart's pressure distribution is crucial to the wind forecast. The wind speed would be greater the closer the isobars. The highest wind speed, which is 850 Mb, cannot be exceeded at the surface. When applying fertilizer and chemicals by spray, the wind forecast is crucial.

Manuscript received on 09 March 2023 | Revised Manuscript received on 15 March 2023 | Manuscript Accepted on 15 April 2023 | Manuscript published on 30 April 2023.

*Correspondence Author(s)

Akhil Kumar Reddy A, Department of Computer Science and Engineering, Jain Global Campus, Bangalore (Karnataka), India. E-mail: akhilreddy1974@gmail.com, ORCID ID: <https://orcid.org/0009-0004-3967-4747>.

Swaroop S, Department of Computer Science and Engineering, Jain Global Campus, Bangalore (Karnataka), India, email: swaroopsatish3110@gmail.com, ORCID ID: <https://orcid.org/0009-0001-4146-7892>

Achammagari Nitika*, Department of Computer Science and Engineering, Jain Global Campus, Bangalore (Karnataka), India. E-mail: nitikaachammagari@gmail.com, ORCID ID: <https://orcid.org/0009-0000-8414-8392>.

Sai Pranav kumar P, Department of Computer Science and Engineering, Jain Global Campus, Bangalore (Karnataka), India. E-mail: saipranav1324@gmail.com, ORCID ID: <https://orcid.org/0009-0009-1635-2880>

P. Rishitha, Department of Computer Science and Engineering, Jain Global Campus, Bangalore (Karnataka), India. E-mail: rishireddyphenagaluru@gmail.com, ORCID ID: <https://orcid.org/0009-0001-9163-6025>

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an open access article under the CC-BY-NC-ND license <http://creativecommons.org/licenses/by-nc-nd/4.0/>

D. Cloud Forecast/Precipitation

The synoptic conditions determine the forecast for cloud cover. Assume that the region is influenced by the upper air cyclonic circulation or upper air through low pressure. Depending on the number of water vapours present, cloudiness or precipitation may be anticipated in that case.

Farmers can use the data on these weather parameters to make decisions about spraying, irrigating, and harvesting their crops. Additionally, agricultural processes like threshing and drying produce require sunlight. [5]

E. Dew Forecast

When the air temperature reaches the dew point, dew forms on vegetation near the earth's surface in the morning. "Dew" refers to the condensation of airborne water vapours cooled by radiation losses on the surface of vegetation. Compared to the amount of precipitation, the amount of dew is very small. [9]

F. Evaporation

The prevailing and anticipated weather conditions both influence the rate of evaporation. To apply irrigation to the crops, forecasting evaporation is necessary. The type of soil and the crop grown determines the application of irrigation. It is solely determined by the amount of accumulated evaporation since the irrigation was applied. The weather affects the amount of water lost. To use water wisely, anticipating evaporation is helpful when planning irrigation. [6]

G. Humidity

The amount of water vapor in our atmosphere is measured by humidity. Because water vapor holds heat in the air, the air feels extremely muggy and uncomfortable for our skin when the humidity and temperature are high. More moisture can be retained by warm air. On our skin, the air feels much drier when humidity is low. This can happen, for instance, in the desert or on a crisp, cold winter day. [12] The humidity of the air is determined by the climate and location. The ideal humidity levels are between 30 and 60 percent, and the ideal relative humidity indoors is between 30 and 50 percent. If the humidity level is too low, more water evaporates than falls, which can lead to drought in the area. [8]

H. Frost Forecast

Frost refers to the layer of ice crystals. A type of precipitation is frost. Frost also plays a significant role in agriculture, just like dew. The dew point determines how frost forms. The water vapours directly transform into ice crystals when the dew point drops below freezing. Sublimation is the name of this method. Crop plants are damaged by the low temperature caused by frost. [8]

Conditions favourable to the development of frost include:

- Sky should be clear.
- Calm conditions.
- Excessive radiational cooling.
- Low water content in the air.
- Anticyclone wind
- There must be a high-pressure region. [20]

III. DISASTERS CAUSED BY THE CLIMATE CHANGE

A. Hindenburg - The Disaster

In 1937, an airship was involved in an accident, the airship is the longest in its class, had the largest envelope volume, and was the lead ship of the Hindenburg class. It carried commercial passengers. The German Zeppelin Airline Company was in charge of operating it, and the Zeppelin Company (Luftschiffbau Zeppelin GmbH) was in charge of designing and building it. [13] It got its name from Field Marshal From 1925 to 1934, Germany's president was Paul von Hindenburg. It caught fire and collapsed while attempting to dock with its mooring mast at Naval Air Station Lakehurst. Officially, the fire was caused by an electrical discharge in the atmosphere near an airship leak of hydrogen gas; On the other hand, it was rumoured that the dirigible had been sabotaged by anti-Nazis. [15] The company considers the Hindenburg to be a tragic event that could have been avoided if it hadn't been overconfident and ignored previous failures. They want to find similar market disasters caused by humans and warn people about them before they happen. [10]

B. Chernobyl

The nuclear accident known as the Chornobyl disaster occurred on the 26th of April, 1986, at the No. The nuclear power plant in Chornobyl has four reactors. In the Chornobyl Exclusion Zone, forest fires are not a new occurrence; However, climate change has increased both their frequency and intensity. Additionally, they are taking place in locations where higher levels of radioactive fallout have been deposited. About a fifth of Belarus's land remains contaminated after the explosion, and the wind carried an estimated 70% of the debris. Research into the disaster's effects on wildlife and the surrounding forest is also ongoing. Because so many trees succumbed to high radiation levels and turned reddish-brown, the four-square-mile area immediately surrounding the accident was dubbed the "Red Forest." [19] Even though a lot of trees have grown back, scientists have recently noticed that some of the area's wildlife species have more cataracts and albinism and fewer beneficial bacteria.

C. Australia wildfires

The worst bushfire season in Australia's history began at the beginning of 2020, following Australia's hottest year ever, and has resulted in the deaths of at least 28 people. Native animals have been killed by more than a billion people, and some species and ecosystems may never recover. Australia is prone to drought, has hot, dry weather, and frequently experiences bushfires. [4] These bushfires will cause Environmental effects. They will affect the growth of plants and planet vegetation on a large scale. Global warming is another major factor in this situation. [19] These fires are becoming more frequent and more intense as a result of a significant amount of carbon emissions.

As a result, it becomes difficult to gauge the extent of its damage, and the season of the bushfire can extend its usual duration. Although some of these bushfires are caused by natural occurrences like lightning strikes and climate change, while others are caused by human activities like grinding and welding, careless cigarette and match disposal, machine sparks, and arcing lines. [4]



Figure 1: Bushfires [7]

D. African Drought

The crop grown during the first rains of the year is typically planted in March or April. The rainfall in 2011 was insufficient and late, falling in late April and May. Due to their late planting, the crops are only now being harvested. In July, there was a poor harvest and no pasture, which made the issues with food security even worse. Drought is mainly affected by crops which will impact human life. If food is not available people cannot survive.[11] Additionally poor was the earlier crop, which was harvested early in the year. at least 20% of a region's households face severe food shortages and are unable to cope; Rates of acute malnutrition exceed 30%; Additionally, the mortality rate is greater than two per 10,000 people per day. This Drought is affected effectively for the people of Africa.[17]

E. Superstorm Sandy

The massive storm known as Superstorm Sandy, also known as Hurricane Sandy or Post-Tropical Cyclone Sandy, caused significant flooding and wind damage. Sandy's severity was made worse by the interaction of three elements: a powerful hurricane fuelled by moisture and energy of the Atlantic Ocean's higher-than-average sea surface temperatures; a peculiarly shaped dip in the jet stream.[12] The sandy storm is affected mostly by sea area people. People are high in the loss of their lives which has more effectiveness to overcome it. which may have been caused by Arctic warming and moved the storm from the east to the west; and lunar high tides that raised the sea level on the East Coast by a few feet.[14] "Retreat from the shoreline and take remedial action now to floodproof ourselves." These are some of his suggestions:

- Equipment in the flooded power grid should be raised to levels that are higher than storm surges.[19]

- Reclassify floodplains and mandate their evacuation in the event of an emergency.
- bolstered entrances to the lower floors of skyscrapers.[18]



Figure 2: Superstorm sandy

F. Dry Corridor in Central America

Climate shocks like El Nino have an effect on crop planting and harvesting in the Dry Corridor, and they will only make the Dry Corridor's already fragile food security even worse. COVID-19 is currently driving an even larger number of people in the region into poverty and hunger. [20] Due to the intensified "heat wave"2 in July, which has an impact on the crops' flowering and grain-filling phases, the production of basic grain crops in Central America faces a significant risk of contraction. The self-consumption of maize and bean crops is expected to be most affected, particularly in the "Dry Corridor" areas. The timing of sowing and the geographic distribution of rain determine how much the crops are affected. [16]



Figure 3: Dry Corridor

Table 1: Deadliest Disasters Due to Climate Change. [15]

(a)	Disaster type	Year	Country	Deaths
1	Drought	1983	Ethiopia	300 000
2	Storm (<i>Bhola</i>)	1970	Bangladesh	300 000
3	Drought	1983	Sudan	150 000
4	Storm (<i>Gorky</i>)	1991	Bangladesh	138 866
5	Storm (<i>Nargis</i>)	2008	Myanmar	138 366
6	Drought	1973	Ethiopia	100 000
7	Drought	1981	Mozambique	100 000
8	Extreme temperature	2010	Russian Federation	55 736
9	Flood	1999	Bolivarian Republic of Venezuela	30 000
10	Flood	1974	Bangladesh	28 700

Table 2: Economic Loss Due to Disaster [15]

(b)	Disaster type	Year	Country	Economic losses (in US\$ billion)
1	Storm (<i>Katrina</i>)	2005	United States	163.61
2	Storm (<i>Harvey</i>)	2017	United States	96.94
3	Storm (<i>Maria</i>)	2017	United States	69.39
4	Storm (<i>Irma</i>)	2017	United States	58.16
5	Storm (<i>Sandy</i>)	2012	United States	54.47
6	Storm (<i>Andrew</i>)	1992	United States	48.27
7	Flood	1998	China	47.02
8	Flood	2011	Thailand	45.46
9	Storm (<i>Ike</i>)	2008	United States	35.63
10	Flood	1995	Democratic People's Republic of Korea	25.17

DECLARATION

IV. CONCLUSION

These are just a few of the major events that climate change and natural disasters bring about. In the end, all other aspects of history and history tell us one important thing. We are responsible for our demise and destiny. We are the ones who have a significant impact on our environment and climate change. As a result, we need to be ready to deal with problems in our domain. We must be prepared for all future disasters by understanding various climate parameters, as we have lost nearly 300,000 people in a single location as a result of some disasters. Climate change isn't some supernatural force that science can't explain. We simply fail to take into account every parameter; The extent of climate change is determined by everything in those parameters. Therefore, to be prepared to reduce casualty numbers and losses, we need to know how to identify various climate changes. Every life, whether it is a human or a planet, is significant.

Funding/ Grants/ Financial Support	No, I did not receive.
Conflicts of Interest/ Competing Interests	No conflicts of interest to the best of our knowledge.
Ethical Approval and Consent to Participate	No, the article does not require ethical approval and consent to participate with evidence.
Availability of Data and Material/ Data Access Statement	Not relevant.
Authors Contributions	All authors have equal participation in this article.



REFERENCES

- Climate Change 2014: Impacts, Adaptation, and Vulnerability. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press
- Global Carbon Project (2014) Carbon budget and trends 2014. Global Carbon Project. Doi: www.globalcarbonproject.org/carbonbudget.
- Cook, J., Nuccitelli, D., Green, S. A., Richardson, M., Winkler, B., Painting, R., Way, R., Jacobs, P. and Skuce, A. (2013) 'Quantifying the consensus on anthropogenic global warming in the scientific literature', Environmental Research Letters. [[CrossRef](#)]
- Climate Change: Causes, Effects, and Solutions (parkland.edu)
- Riebeek, Holli. "Global Warming." Global Warming: Feature Articles. NASA, 3 June 2010. Web. 06 May 2016
- "Impacts of Wind on Wildlife." USFWS: Avian Radar
- Effects | Facts – Climate Change: Vital Signs of the Planet (nasa.gov)
- "Causes of Climate Change." Causes of Climate Change. 2016 (PDF) Climate Change (researchgate.net)
- how_algae_could_change_the_fossil_fuel_industry_279024
- Albeck-Ripka, L. (2018). Your Recycling Gets Recycled, right? Maybe, or Maybe Not. Retrieved <https://www.nytimes.com/2018/05/29/climate/recycling-landfills-plastic-papers.html>
- Shantel, H. (2018). Climate change. Retrieved from <https://climate.nasa.gov/>
- McMahon, J. (2017). 9 Things You Can Do About Climate Change. Retrieved from <https://www.forbes.com/sites/jeffmcmahon/2017/01/23/nine-things-you-can-do-about-climate-change/#44066154680c>
- Hashem, Alysha. "Climate Change Spreads Infectious Diseases Worldwide." International News Services. N. p., 25 Jan. 2011. Web. 16 Apr. 2013.
- Climate and weather-related disasters surge five-fold over 50 years, but early warnings save lives - WMO report | UN News
- How global warming fuelled extreme climate disasters in 2022 | World Economic Forum (weforum.org)
- 10 Disasters That Were Caused by Climate Change | Babylon Bee
- [2e610866957bca9a41aea392860b6e16d79d.pdf](https://www.semanticscholar.org/paper/2e610866957bca9a41aea392860b6e16d79d) (semanticscholar.org)
- [PDF] Weather Conditions and Warm Air Masses in Southern Sakha During Active Forest Fire Periods | Semantic Scholar
- Working paper: Addressing climate and disaster risk through inclusive and participatory mechanisms - World | Relief Web object. U.S. Fish and Wildlife Service, n.d. Web. 06 May 2016.

AUTHORS PROFILE



Akhil Kumar Reddy A from Andhra Pradesh, India, I am pursuing my career in Jain Global Campus Bangalore, Karnataka, India. I am in my final year completion period. I like to research on the things which are generally ignored and I have a great admiration for the researchers and the development teams of various sectors who always innovate new things and research on new interesting topics which help the world to progress faster and safer.



Swaroop S from Bangalore, India, I am pursuing my graduation in Jain Global Campus Bangalore, Karnataka, India. Department of Computer Science and Engineering. I would describe myself as a kind hearted and honest who wants his surroundings to be happy and maintain peaceful environment. I am confident in my abilities to produce and while I prepare for the worst, I do the work necessary to tilt the odds that the best will happen.



Achammagari Nitika from Kurnool, Andhra Pradesh, India. Currently I am pursuing my final year at Jain Global Campus Bangalore, Karnataka, India. I am passionate about my work. I am a curious as an individual who is passionate about exploring new ideas and pushing the boundaries of knowledge in my field. I am a team player and value collaboration and feedback from my peers. I have a deep interest in learning and continuously strive to expand my knowledge and skillset.



Sai Pranav Kumar.P from Andhra Pradesh India currently pursuing my B.tech final year in computer science engineering from Jain university Bengaluru Karnataka and got place in L&t Mindtree. As an aspiring researcher, I am a curious and diligent individual who is passionate about . I possess strong analytical skills and attention to detail, which allows me to analyze and interpret complex data effectively. My enthusiasm and dedication to research make me a promising candidate who is committed to making meaningful contributions to the field.



P. Rishitha I am perusing B-Tech, CSE-Cloud Technology and Mobile Applications in Jain University. I am from Andhra Pradesh but living in Bengaluru India. I am interested in Application Development (Web Development, Android Development, IOS Development), love to explore tools of amazon and have deep interest to learn new thing. Love spending time with family, friends and colleges. Currently working in Labcorp as an intern.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP)/ journal and/or the editor(s). The Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP) and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.