


Using Digital Twin Technology to Overcome Challenges in Civil Engineering and Construction: A Review

Krish Shah



Abstract: The purpose of this review article is to address the existing knowledge gap by presenting an extensive overview of the diverse uses of digital technology (DT) in the fields of construction and civil engineering. Additionally, it seeks to demonstrate how DT can effectively mitigate the challenges faced by the sector. A comprehensive review is conducted by collating insights from recent research papers across the globe and providing a holistic, time-efficient, and tailored understanding of the Digital Twin Technology in Civil Engineering and Construction. The review spanned critical areas including infrastructure construction, structural health monitoring, energy efficiency in buildings, seismic evaluation of buildings, safety of heritage buildings, and the diverse applications of digital twins in construction design, monitoring and management. This study acts as a thorough guide for experts, providing them with a consolidated source of knowledge. With the construction industry's complicated difficulties, understanding how digital twins might provide solutions is crucial. Professionals can use this technology to assure not only efficiency but also sustainability, which is becoming increasingly important in today's environment.

Keywords: Digital Twin, Technology, Challenges, Construction, Civil Engineering

I. INTRODUCTION

The construction sector, recognized as the backbone of the Indian economy, has experienced a considerable surge over the last few decades. As of 2021, the construction industry in India holds a pivotal position, contributing the country's Gross Domestic Product (GDP) by almost 8%. Additionally, it is an employment-intensive domain, providing jobs to around 50 million people, making it the second-largest employment generator after the agricultural sector (M. Jaiswal, 2023, [1]).

However, like every burgeoning sector, the construction industry is fraught with challenges both globally and in India. Infrastructure construction faces issues related to overruns in cost and time, often due to poor planning and unforeseen ground conditions (Z. Ye, 2023, [2]).

Structural health monitoring often struggles with the accurate prediction of long-term performance and degradation of materials (B. G. Pantoja-Rosero, 2023, [3]). With global warming ringing alarm bells, the urgency for energy efficiency in buildings is evident. Yet, there remains a significant gap in translating theoretical energy-efficient practices into on-ground reality (A. Clausen, 2021, [4]). Seismic evaluation of buildings is another crucial area, especially for countries in the Pacific Ring of Fire, including parts of India. Many buildings remain non-compliant with seismic standards, posing risks during earthquakes (F. Mokhtari, 2023, [5]). Furthermore, the safety of heritage buildings, which often symbolizes the cultural legacy of a nation, remains a perpetual challenge. These structures, due to their age, require specialized restoration techniques that maintain their aesthetic and historical essence while ensuring safety (A. Shabani, 2022, [6]). In this context, the concept of a "digital twin" emerges as a beacon of hope. Digital twin, in essence, refers to a virtual representation of a physical entity, allowing real-time monitoring and simulation-based analysis (R. Zhang, 2022, [7]). Its applications span across sectors, from healthcare to manufacturing. The utilisation of digital twins in the fields of construction and civil engineering holds significant potential for transforming conventional techniques. They can predict the outcomes of various strategies, optimize construction processes, enhance monitoring accuracy, and greatly assist in maintaining energy efficiency (J. Feng, 2021, [8]). Several studies have already explored the application of digital twins in construction and civil engineering. For example, studies from China and UK have showcased how digital twins can assist in optimizing infrastructure construction (Z. Ye, 2023, [2]); Rogage, Mahamedi, Brilakis & Kassem, 2022 [9]). Research from Switzerland and UK has emphasized the role of digital twins in enhancing structural health monitoring (B. G. Pantoja-Rosero, 2023, [3]; D. Loverdos, 2022, [10]). However, while numerous individual studies exist, there appears to be a conspicuous absence of a comprehensive review that holistically combines these diverse areas of knowledge, especially in the context of mitigating the aforementioned challenges. This review paper aims to bridge that gap by providing an extensive overview of the various applications of DT in construction and civil engineering and demonstrate how it can mitigate challenges faced by the sector.

Manuscript received on 19 September 2023 | Revised Manuscript received on 30 September 2023 | Manuscript Accepted on 15 October 2023 | Manuscript published on 30 October 2023.

*Correspondence Author(s)

Krish Shah*, Student, Department of Civil Engineering, Ahmedabad International School, Ahmedabad (Gujarat), India. E-mail: krish.shah.090807@gmail.com, ORCID ID: 0009-0005-1053-6743

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an open access article under the CC-BY-NC-ND license <http://creativecommons.org/licenses/by-nc-nd/4.0/>

By collating insights from recent research papers across the globe and providing a holistic, time-efficient, and tailored understanding, this review seeks to empower professionals in the sector, enabling them to navigate challenges and capitalize on the myriad benefits of digital twin technology. The study aims to investigate the following research questions in detail:

RQ1: What are the applications of digital twin technology in construction and civil engineering?

RQ2: To what extent does DT technology help mitigate the challenges faced by the construction and civil engineering?

II. DIGITAL TWINS: CONCEPT AND APPLICATIONS

The digital twin is a technological innovation that integrates various components, including sensing mechanisms, networking capabilities, big data analytics, artificial intelligence algorithms, and sophisticated modelling techniques. A digital twin refers to a dynamic and up-to-date depiction of a physical system that actively observes and assesses the state of its constituent elements (R. Zhang, 2022, [7]). It consists of both a virtual and real machine. Every machine (model) is depicted as a simulation, a reflection, or an exact replica of the other. Hence, the digital twin has the capability to document the complete life cycle of the physical entity, including individuals, objects, or processes.

The digital twin is a technological innovation that integrates several physical, scale, and disciplinary attributes. It concurrently exhibits the attributes of real-time synchronisation, precise mapping, and exceptional fidelity. The system exhibits the ability to facilitate the interaction and integration of the physical and informational domains (Zayed, Attiya, El-Sayed & Hemdan, 2023, [11]).

The concept of a digital twin serves as a means of connecting the physical realm with the realm of information, thereby facilitating the exchange of data over the life cycle of a product. By doing so, it enhances the manufacturing processes by offering services that are characterised by real-time responsiveness, efficiency, and intelligence.

Digital twin has three fundamental levels. First, the industrial layer is in charge of complicated systems and is fundamentally reliant on both physical environments and digital twins. Second, the application layer is determined by the characteristics and content of a virtual vision. The communication layer focuses on cyber-physical connections (G. Mezzour, 2020, [12]).

Digital twins are used in a variety of industries, including the military, aircraft, agricultural, drilling platforms, construction, automotive, electricity, and smart cities.

A. Applications of Digital Twin in Civil Engineering and Construction Industry

Numerous researchers have applied DT to civil engineering applications, including collaborative heritage building information modelling (HBIM) that integrates tangible and intangible cultural heritage (D. Heesom, 2020, [13]); a semi-automated process for creating precise BIM facade models for existing structures using laser and image data (C. Dore, 2014, [14]); and manually enriched semantics from laser scanner point clouds to create Building Energy Performance Simulation (BEPS) model (D. Heesom, 2020, [13]).

For the purpose of facilitating the design of new projects or retrofit designs, DT can be generated for the surrounding environment and current projects that are linked to the target projects, as well as prior generations of the target projects. Although there are few instances of DT applications for the design of new civil engineering projects, they do exist (J. Feng, 2021, [8]). The idea of DT is currently implemented in project maintenance, operation and construction due to the development of IoT (Hou et al., 2020, [15]).

III. DIGITAL TWINS IN CIVIL ENGINEERING

The stages in which DT can be used in civil engineering are material components, design phase and construction phase.

DTs can be generated for structures and components. Engineers can use the DT from a prior building or bridge project to research and simulate a new one. This category includes the majority of DT uses in prefabricated structure design. Designing target project renovations, expansions, and new construction can also be done with DT (J. Wang, 2020, [16]).

In the design stage, planning, task definition, preliminary design, conceptual design, virtual verification and detailed design might benefit from DT. Designers can use DT to plan a project, make decisions, identify constraints, and give a framework and outline (G. Schrotter, 2020, [17]). DT can use data from related projects, the environment, the nearby area, design papers, and other sources for conceptual, preliminary, and detailed design. By using data from many sources, Design that can be efficiently changed, enhanced, updated, and confirmed with the least amount of time, money, and labour can be analysed using DT. (M. Eguaras-Martínez, 2014, [18]).

DT can aid in the monitoring and management of the construction phase, including the management and monitoring of the construction safety, quality, employees, progress, apparatus, and materials. (Y. Türkan, 2014, [19]). DT can also be applied to create a smart framework for safety management on building sites. enabling on-site risks related to people, machinery, and other factors to produce warnings and be controlled (W. Jiang, 2020, [20]) by developing models that can analyse previous fatal construction workplace accidents and aid in their prevention (O. Golovina, 2019, [21]). DT can help monitor, manage, and regulate construction equipment for efficiency, accuracy, and safety. DT can also substantially improve asset management in numerous instances (P. Love, 2019, [22]) by assessing the condition of physical components, diagnosing problems, and making decisions by using geometric information, sensors, and physical-virtual links. For complete asset management, like disaster mitigation and prevention, DT can check geometric and non-geometric data and manage the physical components of ongoing projects using photogrammetry, IoT, GIS, sensing and laser scanning (D. P. Welch, 2014, [23]). DT can prove very useful in reconstruction and dismantling projects too.

By generating a virtual representation of real-world entities and environments, including geometric and non-geometric data, DT can aid in the reconstruction, retrofitting, and demolition of obsolete structures (Angjeliu, Coronelli & Cardani 2020, [24]). Using 3D laser building scanning and BIM2BEM, DT can expedite energy optimisation and decision-making based on analysis for retrofitting existing structures (S. Kim, 2016, [25]).

IV. INFRASTRUCTURE PROJECTS

A. Tunnel Construction Safety

Insufficient construction organisation and supervision, complex geological conditions, bad construction environments, and an increase in the number of tunnels despite increased capital investment cause frequent tunnel construction accidents (Z. Zhou, 2015, [26]).

Traditional tunnel monitoring is primarily manual, but early warning and prediction methods for tunnel accidents are often poor. The application of digital twin technology in the arena of construction safety and initial warning, especially in tunnel engineering is at an early stage. The application of DT for tunnels strongly depends on data that must be gathered from real-world objects, computer simulations, and specialised knowledge (G. Yu, 2021, [27]).

By incorporating multi-source data from tunnel construction, researchers have recently presented a platform for smart early warning and safety management based on the notion of DT (Z. Ye, 2023, [2]).

B. Earthwork Equipment Monitoring

In massive infrastructure projects like highways, rail lines, and energy projects, earthwork is one of the most expensive and important operations, and heavy earthmoving equipment like bulldozers, excavators and trucks make for a sizable amount of construction project expenditures (Sartori et al., 2014, [28]). Such kind of machinery is commonly blamed for project delays, and is a significant source of air pollution and congestion both on and off-site (Giusti et al., 2014, [29]). The accurate reporting of earthmoving equipment productivity and utilisation is a key challenge for large projects. Current methods such as on-site observation notes, timesheets, drones or on-board telematics systems are prone to error and impractical for large projects (M. Kassem, 2021, [30]). With DT, there is the potential to lower emissions, costs and delays related to earthwork activities. DT has emerged as the industry leader in data-centric construction management technology improvement (B. Hong, 2022, [31]). Some studies have attempted to achieve enhanced operational efficiencies on construction sites through DT. Rogage, Mahamedi, Brilakis, and Kassem (2022) [9] created a DT framework to give a precise and effective method for measuring the degree of equipment utilisation and keeping track of the effectiveness and efficiency of earthwork efforts in significant infrastructure projects. This system includes a digital dashboard that is used to compare the performance of activities and resources to visual representations of construction sites. The application programming interfaces (API), system actors, artificial intelligence (AI), data, dashboard visualisation and system actors are its five main components. By identifying patterns, this DT solution increases equipment productivity by providing analytical and

visual insights into the use of earthwork equipment in close to real-time.

C. Highway Asset Management

Operation and maintenance, Road network design, traffic simulation and analysis, expansion, and reconstruction are all ongoing maintenance procedures for existing roadways. This requires detailed data about the current condition of existing roads (A. Ragnoli, 2018, [32]). Due to missing or insufficient archives, there may not be enough data available on old roads, most of which were built without digital drawings (Cheng, Lu & Deng, 2016, [33]). Even if some existing data can be located, it is typically unstructured and ranges from paper illustrations to PDF files. M. W. Grieves, (2016, [35]) hypothesised that a digital twin can address these problems by providing a high-fidelity digital duplicate on the go as well as structured and integrated data. Creating a digital twin of an ancient road poses numerous challenges. These challenges include the difficulty of representing the long and complex shape of the infrastructure digitally, incorporating various road components such as vertical and horizontal alignments, cross falls, central reserves, cross-sections, verges, lanes, hard strips, side slopes, shoulders, among others. Additionally, there is the issue of addressing defects resulting from the the survey state of the downloaded map data is characterised by its low quality and limited scope. Additionally, it is imperative to acknowledge and rectify the existing deficiencies pertaining to the ancient road infrastructure, including pavement deterioration resulting from vehicular activity and various external sources, erosion of the adjacent slopes, and the lack of clear demarcation between distinct road elements (J. Feng, 2022, [36]). J. Feng, (2022, [36]) given a method for systematic digital twinning of extant old highways that takes into account various highway components in relation to the topography and uses readily accessible extant online map data. This method allows highway-related digital twins to be unrestricted by field surveys and extraordinary circumstances, reduces the impact of the old highway's spikers, outliers and defects on the digital counterpart, and ensures that the digital twin of the highway aligns with the engineering representation of the roadway. The suggested solution has been effectively implemented on a segment of the A1(M) motorway in the United Kingdom.

V. STRUCTURAL HEALTH MONITORING

Buildings and Infrastructure undergo routine visual assessments or prompt evaluations following a natural disaster to ensure compliance with structural regulatory guidelines. A proper assessment prevents any structural breakdowns and minimises the repercussions, like the potential for physical harm to people and economic losses (B. G. Pantoja-Rosero, 2023, [3]).

Engineers seek to visually identify and discover structural component deterioration during an inspection to evaluate whether the object can be used as-is, needs more investigation, could need some upgrades, or should be scrapped altogether.

Lack of objectivity, lengthy execution time, high costs, and challenges in demonstrating damages are the key shortcomings of the conventional approach (B. G. Pantoja-Rosero, 2023, [3]).

These disadvantages underscore the need for novel assessment methods, such as imaging technologies and artificial intelligence. Fractures are the most prevalent type of damage detected during inspection, especially in brittle structures such as concrete or masonry, making it critical to segment fractures from photographs. Computer vision techniques, such as deep learning and photogrammetry methods, are now used in conjunction with image data to lessen the subjectivity and operation time of conventional inspections. Convolutional neural networks (CNNs), for instance, have been the subject of extensive study for their potential in damage detection, classification, and segmentation. (Nag et al., 2020, [37]). Several researchers (A. H. Rezaie, 2021, [38]; Gehri et al., 2022, [39]) have pushed for the use of image-based methodologies and crack widths and shear displacements can be calculated using digital image correlation. Their findings are generally accurate, but they are restricted by the necessity of a particular configuration of image devices and, in some situations, the structure itself. Several recent research which uses DTs to evaluate the structural health of buildings have yielded encouraging findings. L. Barazzetti, (2015, [40]), for example, described a method for generating GDTs in the format of Heritage Building Information Models (HBIM) to be utilised in augmented and virtual reality applications. Hoskere et al. (2018, [40]) presented condition-aware structural models that incorporated a textured three-dimensional (3D) building model. The authors employed deep learning models to locate faults within the building model and subsequently mapped these faults using UV mapping techniques. P.-A. Jouan, (2020, [41, 60]) employed HBIMs as DTs to aid in the preservation of heritage sites. A. Shabani, (2022, [6]) explored a range of issues and methodologies pertaining to the utilisation of decision trees (DT) in the analysis of building response across different load scenarios. C. Rainieri, (2022, [42]) introduced the utilisation of Decision Trees (DT) in the context of Building Information Models (BIM) for the purpose of monitoring and establishing guidelines for structural maintenance. The DT framework for post-earthquake building evaluation was established by N. Levine, (2022, [43]) utilising drone imagery, component identification, and damage assessment. Instead of approaching building damage inspection duties individually, B. G. Pantoja-Rosero, (2023, [3]) propose the development of a holistic pipeline that enables the automated generation of a comprehensive three-dimensional (3D) model, which incorporates damage information in the form of a digital twin. The researchers utilised geometric digital twins (GDT), which refer to three-dimensional models that encompass comprehensive data pertaining to the geometric characteristics of a real asset. The GDTs were combined with picture data containing damage information, specifically cracks and their characterization, in order to create a digital twin that incorporates damage (referred to as DADT). The employed methodology resulted in the development of a DADT model that possessed a low weight, rendering it suitable for expedited inspections. Furthermore, this model

facilitated the incorporation of semantic information derived from image data. Importantly, it exhibited the advantage of not being constrained to a singular asset, thereby offering versatility for application to various forms of infrastructure. Moreover, this model proved to be adaptable and applicable in both routine inspection scenarios and in the context of natural disasters.

VI. SEISMIC EVALUATION

Hybrid simulation (HS) is a flexible and effective method for assessing the seismic behaviour of structures, quantifying the factors influencing the seismic response, generating information for development and improvement of numerical modelling methods, and evaluating/improving seismic design guidelines. There are two primary HS methodologies in seismic engineering: pseudo-dynamic hybrid simulation (PsDHS) and real-time hybrid simulation (RTHS).

The basic principle of conventional hybrid simulation (CHS) involves the division of a structure into two distinct substructures that can be computed in parallel: the well-established components that are simulated numerically using the finite element method, and the crucial element(s) anticipated to exhibit inelastic behaviour, such as seismic fuses, which are physically tested in a laboratory setting. The computation of inter-facial node displacements will be carried out in each time step through the solution of the governing equation of motion, which will then be applied to the physical specimen. The restoring forces of the specimen will thereafter be quantified and reintegrated into the numerical model for the forthcoming analytical increment (D. McCrum, 2016, [44]).

Although CHS offers advantages compared to alternative seismic testing methods, the accuracy of its results may be compromised when limited physical testing is conducted on only a few potentially significant components. This limitation arises owing to constraints such as laboratory capacity or budgetary limitations. Due to the limited capacity of existing structural testing facilities, it is challenging to conduct comprehensive physical tests on all essential components, even at a smaller scale. Consequently, the seismic behaviour of multi-storey structures, which often incorporate numerous seismic fuses or highly nonlinear elements, may not be accurately depicted using conventional computational hybrid simulation (CHS) methods. Consequently, the majority of previous hybrid simulations have predominantly employed a limited number of physical specimens to represent significant components of the structure. Meanwhile, the remaining portions of the structure, including certain highly nonlinear crucial aspects, have been represented using numerical means (Hashemi et al., 2017, [45]).

To address these challenges, F. Mokhtari, (2023, [5]) proposed a new digital twin-based multi-element hybrid simulation (DMHS) framework that combines a data-driven model, i.e., digital twin, with an active (real-time) training feature to address biased CHS results of structures with multiple critical components more efficiently.

The primary function of the digital twin is to proactively forecast the nonlinear dynamic reaction of essential components that have not undergone physical testing, and afterwards transmit the anticipated response to the numerical substructure during high-stress conditions. In comparison to CHS, the framework that has been suggested intends to provide a more realistic seismic response evaluation that may or may not take into account the dynamic properties of the components during HS. The suggested DMHS has exceptional computational efficiency, which makes it potentially applicable to RTHS.

VII. ENERGY EFFICIENCY

A. Enhancing Energy Efficiency and Optimising Occupant Comfort

Buildings consume around 40% of overall energy consumption in industrialised nations (X. Cao, 2016, [46]). Consequently, the integration of building instrumentation devices, such as controllers, actuators and sensors, presents both prospects and obstacles for enhancing energy efficiency. The objective of this advancement in intelligent building technology is to facilitate energy-efficient automation of buildings, while concurrently prioritising the comfort of individuals occupying these spaces. (J. D. Billanes, 2017, [47]). Model Predictive Control (MPC) is one of the approaches that has recently gained traction in both research and industry (J. Drgoňa, 2020, [48]). Model Predictive Control (MPC) is a collection of control systems that heavily rely on physical models (C. L. García, 1989, [49]) and necessitate a tangible installation interface within the intended structure. The installations include of sensors and actuators that are configured, constructed, and deployed based on the physical characteristics of the building and the degree of building automation. In their study, A. Clausen, (2021, [4]) introduced a digital twin framework designed specifically for MPC-based building automation. The utilisation of this framework enables the creation of a digital representation of a building's tangible surroundings, providing facility managers with the opportunity to gain innovative operational perspectives, enhance energy efficiency, and proficiently oversee the structure's performance. The paper provides an explanation of the diverse applications related to building control, occupancy prediction, and the implementation of a common data format utilising the sMAP framework. The framework comprises a Zone Model that can be adjusted based on parameters and can be validated using controlled zones, whether they are virtual or physical. Additionally, the framework includes a Zone Control Application that is parameterized and allows for the customization of temperature and CO₂ objectives.

At the University of Southern Denmark, Campus Odense, a special implementation of the suggested framework was built to manage a classroom in room U182 in the OU44 building. Experiments showed that the proposed system maintained comfort levels that were comparable to those upheld by commercial building management systems while also allowing the implementation of new control strategies for enhancing energy efficiency, thereby demonstrating the potential to increase energy efficiency.

B. Classification of a building's operational energy performance

In the construction industry, there is a dire need for better operational building evaluation procedures. Despite advancements in the technology and design of energy-efficient buildings, many structures continue to perform below their design values, which raises energy costs, boosts carbon emissions, and reduces occupant comfort (L. Brady, 2017, [50]). The difference in energy performance across buildings can have a significant impact on economic, sustainable, and energy-efficient practises.

P. Spūdys, (2023, [51]) presented the feasibility of utilising Building Information Modelling (BIM) files, smart sensors, and DT technology for operational building assessments. They specifically looked into the practicality of using DT technology to overcome the shortcomings of the present operational building assessment practises. The researchers showcased a technique for establishing a physical-to-virtual link for monitoring data, employing DT technology. This technology enables the collection and analysis of a substantial volume of data in real-time, leading to a more accurate evaluation of a building's energy efficiency. BIM data was employed as the primary source of building information.

Using the suggested methodology, the operational effectiveness of a university campus facility in Nicosia, Cyprus, was evaluated. A contemporary, mixed-use building with a surface area floor area of 1441 m², three above-ground floors and one basement floor, the Frederick University new wing building was constructed in 2007. The findings demonstrated that building occupants used more energy than was necessary to maintain interior thermal comfort. Comparing building spaces for different uses revealed that the bottom level, where the canteen was located, used substantially more energy than the first and first floors, which were used for offices and classrooms. This capability offered the chance to identify underperforming buildings and take measures that may be connected to tenant behaviour or system performance.

C. Heritage

The evaluation of the structural susceptibility of a heritage building is an essential element of a risk reduction strategy aimed at preserving these invaluable cultural assets for nations. The most cutting-edge methods should be used to maintain heritage structures because they are significant remnants of past civilizations (A. Shabani, 2020, [52]). The repair of historic structures would be aided by the potential of creating precise digital simulation models that could foresee damage to these structures (A. Shabani, 2022, [6]).

The use of relative structured information in the form of 3D models is a key focus of research on enhanced conservation strategies in the field of cultural heritage (F. I. Apollonio, 2018, [53]). Modern digital tools can facilitate maintenance tasks and aid in cultural heritage preservation (Tommasi et al., 2007, [54]), and they can also have a substantial positive economic impact via cultural tourism (D. S. Noonan & Rizzo, 2017, [55]).

Predictive degradation models, which can be highly helpful for detecting degradation causes and mechanisms, planning and documenting maintenance actions, and lowering risks of cultural heritage corrosion, can be created with the use of 3D digital twins (Dzikic & Radin, 2019, [56]). The crucial steps in creating the process for digital twins are geometrical survey and enhanced 3D numerical models of cultural heritage assets (A. Shabani, 2022, [6]). The Moorish Castle in Sintra was subjected to an integrative methodology developed by M. G. Gomes & Tome (2023, [57]) for heritage modelling and deterioration mapping using digitization. This research proved to be an effective means of obtaining high-quality data to map, display and assess the diseases. It also supported the deployment of innovative contactless 3D automatic survey technologies.

D. Detection of flaws

DT aids in detecting and protecting historic construction defects. D. Antón, (2018, [58]) investigated the precision of 3D modelling in the construction of historical building information models (HBIM) using point clouds, photographs, and the Rhino BIM software. DTs were utilised by G. Angjeliu, (2020, [24]) to examine the structural system reaction, including preventative maintenance and potential strengthening actions, as well as the structural system integrity of historic masonry buildings. A. Mol, (2020, [59]) modelled, analysed, and stored geometric data, degradation levels, and timber structure material in a three-dimensional space using common HBIM software, non-destructive testing, and geometric surveying. Ancient structures have fewer standard components. Thus, their digital twinning strategies may not be applicable to other historic structures, but the procedures are useful.

VIII. RESULTS AND DISCUSSION

Civil engineering and construction have continually stood as fields integral to the growth and progress of societies, but they have not been without challenges. This study started a thorough examination of the various ways the idea of digital twins is being used in the construction industry. The exploration spanned critical areas including infrastructure construction, structural health monitoring, energy efficiency in buildings, seismic evaluation of buildings, safety of heritage buildings, and the diverse applications of digital twins in construction design, monitoring and management. Beginning with the domain of infrastructure construction, the paper explained the issues of time and cost overruns, safety management and operation and maintenance. By integrating information from tunnel construction from multiple sources into an automated platform for safety management and early warning, DT technology provides a specific way to address these issues (Z. Ye, 2023, [2]) is an effective and precise way to track earthwork programmes in big infrastructure projects (Rogage et al., 2022, [9]) and a method for systematic digital twinning of extant old highways (J. Feng, 2022, [52]). In the area of structural health monitoring, where the accurate prediction of long-term performance and material degradation is most important, DT technology is ideal for rapid inspections for both routine inspections and natural disasters to detect cracks (B. G. Pantoja-Rosero, 2023, [3]).

Energy efficiency in buildings is not just an economic concern but a pressing environmental one. This paper revealed the challenges in implementing energy-efficient practices and demonstrated how DT can help to improve energy efficiency and occupant comfort as well as classify operational energy performance of buildings (A. Clausen, 2021, [4]; P. Spüdys, 2023,). Furthermore, the importance of seismic evaluation of buildings cannot be understated, especially for earthquake-prone regions. While conventional techniques have made significant progress, the integration of digital twins provides an advanced layer of predictive analytics, possibly saving countless lives by ensuring structures are compliant with seismic standards (F. Mokhtari, 2023, [5]). Preserving the past for future generations is a responsibility of the current generation. In the context of the safety of heritage buildings, digital twins can be game-changers. By creating virtual replicas of these historic structures, restorative measures can be planned meticulously, ensuring their longevity while maintaining historical essence (A. Shabani, 2022, [6]; M. G. Gomes, 2023,). Lastly, this paper provided an extensive overview of digital twins in construction design, monitoring, and management. From planning to dismantling, the entire lifecycle of construction can benefit immensely from this technology. Virtual replicas enable professionals to monitor progress, manage resources more efficiently, and even plan the eventual dismantling or renovation of structures.

A. Theoretical and Practical Implications

From a theoretical angle, this review underscores the importance of integrating modern technological advancements like digital twins into traditional civil engineering and construction research. It calls for an interdisciplinary approach, where computer science, data analytics, and engineering unite to pave the way for a new era of construction. The practical implications are manifold. First, this review serves as a comprehensive guide for professionals, offering them a consolidated source of knowledge. With the challenges in the construction industry being complex, having insights into how digital twins can offer solutions is invaluable. By leveraging this technology, professionals can not only ensure efficiency but also sustainability, a concern that is becoming increasingly critical in today's world.

IX. CONCLUSION

To conclude, the integration of digital twins in the civil engineering and construction domain stands as a testament to how technological advancements can reshape industries. Through this comprehensive review, it becomes abundantly clear that the future of construction lies in the harmonious melding of traditional practices with modern innovations. By embracing the potential of digital twins, we are not just looking at a more efficient and sustainable future but one that is safer and more inclusive.

DECLARATION STATEMENT

Funding/ Grants/ Financial Support	Yes, Received research funding from the Ministry of Education and Culture, Research and Technology of the Republic of Indonesia
Conflicts of interest	No conflicts of interest to the best of our knowledge.
Ethical Approval and Consent to Participate	No, this article does not require ethical approval and consent to participate with evidence.
Availability of Data and Material/ Data Access Statement	Not relevant.
Authors Contributions	I am only the sole author of the article

REFERENCES

- M. Jaiswal, "India's construction sector to employ 100 million, requires skilled workforce for economic growth: Report | Mint," Mint, Aug. 03, 2023. [Online]. Available: <https://www.livemint.com/industry/infrastructure/indias-construction-sector-real-estate-jobs-employment-gdp-economy-civil-engineers-11691047850783.html>
- Z. Ye et al., "A digital twin approach for tunnel construction safety early warning and management," Computers in Industry, vol. 144, p. 103783, Jan. 2023, doi: 10.1016/j.compind.2022.103783. <https://doi.org/10.1016/j.compind.2022.103783>
- B. G. Pantoja-Rosero, R. Achanta, and K. Beyer, "Damage-augmented digital twins towards the automated inspection of buildings," Automation in Construction, vol. 150, p. 104842, Jun. 2023, doi: 10.1016/j.autcon.2023.104842. <https://doi.org/10.1016/j.autcon.2023.104842>
- A. Clausen et al., "A digital twin framework for improving energy efficiency and occupant comfort in public and commercial buildings," Energy Informatics, vol. 4, no. S2, Sep. 2021, doi: 10.1186/s42162-021-00153-9. <https://doi.org/10.1186/s42162-021-00153-9>
- F. Mokhtari and A. Imanpour, "A digital twin-based framework for multi-element seismic hybrid simulation of structures," Mechanical Systems and Signal Processing, vol. 186, p. 109909, Mar. 2023, doi: 10.1016/j.ymsp.2022.109909. <https://doi.org/10.1016/j.ymsp.2022.109909>
- A. Shabani, M. Skamantzari, S. Tapinaki, A. Georgopoulos, V. Plevis, and M. Kioumarsi, "3D simulation models for developing digital twins of heritage structures: challenges and strategies," Procedia Structural Integrity, vol. 37, pp. 314–320, Jan. 2022, doi: 10.1016/j.prostr.2022.01.090. <https://doi.org/10.1016/j.prostr.2022.01.090>
- R. Zhang, F. Wang, J. Cai, Y. Wang, H. Guo, and J. Zheng, "Digital twin and its applications: A survey," The International Journal of Advanced Manufacturing Technology, vol. 123, no. 11–12, pp. 4123–4136, Nov. 2022, doi: 10.1007/s00170-022-10445-3. <https://doi.org/10.1007/s00170-022-10445-3>
- J. Feng, L. Ma, T. Broyd, and K. Chen, "Digital twin and its implementations in the civil engineering sector," Automation in Construction, vol. 130, p. 103838, Oct. 2021, doi: 10.1016/j.autcon.2021.103838. <https://doi.org/10.1016/j.autcon.2021.103838>
- Rogage, K., Mahamedi, E., Briklakis, I., & Kassem, M. (2022). Beyond digital shadows: Digital Twin used for monitoring earthwork operation in large infrastructure projects. AI in Civil Engineering, 1, 7. <https://doi.org/10.1007/s43503-022-00009-5>
- D. Loverdos and V. Sarhosis, "Automatic image-based brick segmentation and crack detection of masonry walls using machine learning," Automation in Construction, vol. 140, p. 104389, Aug. 2022, doi: 10.1016/j.autcon.2022.104389. <https://doi.org/10.1016/j.autcon.2022.104389>
- Zayed, S. M., Attiya, G. M., El-Sayed, A., & Hemdan, E. E. (2023). A review study on digital twins with artificial intelligence and internet of things: Concepts, opportunities, challenges, tools, and future scope. Multimedia Tools and Applications. doi:10.1007/s11042-023-15611-7 <https://doi.org/10.1007/s11042-023-15611-7>

- G. Mezzour, S. Benhadou, and H. Medromi, "Digital Twins Development Architectures and Deployment Technologies: Moroccan use Case," International Journal of Advanced Computer Science and Applications, vol. 11, no. 2, Jan. 2020, doi: 10.14569/ijacsa.2020.0110260. <https://doi.org/10.14569/ijacsa.2020.0110260>
- D. Heesom, P. Boden, A. Hatfield, S. Rooble, K. Andrews, and H. Berwari, "Developing a collaborative HBIM to integrate tangible and intangible cultural heritage," International Journal of Building Pathology and Adaptation, vol. 39, no. 1, pp. 72–95, Mar. 2020, doi: 10.1108/ijbpa-04-2019-0036. <https://doi.org/10.1108/ijbpa-04-2019-0036>
- C. Dore, "Semi-automatic generation of as-built BIM façade geometry from laser and image data," Jan. 28, 2014. <http://www.itcon.org/2014/2>
- Hou, Lei, Wu, Shaoze, Zhang, Guomin, Tan, Yongtao and Wang, Xiangyu, "Literature Review of Digital Twins Applications in Construction Workforce Safety", Applied Sciences, no. 11, p. 339, 2020, 10.3390/app11010339. <https://doi.org/10.3390/app11010339>
- J. Wang et al., "Current status and future prospects of existing research on digitalization of highway infrastructure," China Journal of Highway and Transport, vol. 33, no. 11, p. 101, Nov. 2020, doi: 10.19721/j.cnki.1001-7372.2020.11.010.
- G. Schrotter and C. Hürzeler, "The digital twin of the City of Zurich for urban planning," Pfg – Journal of Photogrammetry, Remote Sensing and Geoinformation Science, vol. 88, no. 1, pp. 99–112, Feb. 2020, doi: 10.1007/s41064-020-00092-2. <https://doi.org/10.1007/s41064-020-00092-2>
- M. Eguaras-Martínez, M. Vidaurre-Arbizu, and C. Martín-Gómez, "Simulation and evaluation of Building Information Modeling in a real pilot site," Applied Energy, vol. 114, pp. 475–484, Feb. 2014, doi: 10.1016/j.apenergy.2013.09.047. <https://doi.org/10.1016/j.apenergy.2013.09.047>
- Y. Türkkan, F. Bosché, C. T. Haas, and R. Haas, "Tracking of secondary and temporary objects in structural concrete work," Construction Innovation: Information, Process, Management, vol. 14, no. 2, pp. 145–167, Apr. 2014, doi: 10.1108/ci-12-2012-0063. <https://doi.org/10.1108/ci-12-2012-0063>
- W. Jiang, L. Ding, and C. Zhou, "Cyber physical system for safety management in smart construction site," Engineering, Construction and Architectural Management, vol. 28, no. 3, pp. 788–808, Apr. 2020, doi: 10.1108/ecam-10-2019-0578. <https://doi.org/10.1108/ecam-10-2019-0578>
- O. Golovina, M. Perschewski, J. Teizer, and M. König, "Algorithm for quantitative analysis of close call events and personalized feedback in construction safety," Automation in Construction, vol. 99, pp. 206–222, Mar. 2019, doi: 10.1016/j.autcon.2018.11.014. <https://doi.org/10.1016/j.autcon.2018.11.014>
- P. Love and J. Matthews, "The 'how' of benefits management for digital technology: From engineering to asset management," Automation in Construction, vol. 107, p. 102930, Nov. 2019, doi: 10.1016/j.autcon.2019.102930. <https://doi.org/10.1016/j.autcon.2019.102930>
- D. P. Welch, T. J. Sullivan, and A. Filiatrault, "Potential of Building Information Modelling for seismic risk mitigation in buildings," Bulletin of the New Zealand Society for Earthquake Engineering, vol. 47, no. 4, pp. 253–263, Dec. 2014, doi: 10.5459/bnzsee.47.4.253-263. <https://doi.org/10.5459/bnzsee.47.4.253-263>
- G. Angjeliu, D. Coronelli, and G. Cardani, "Development of the simulation model for Digital Twin applications in historical masonry buildings: the integration between numerical and experimental reality, Computers and Structures, no. 238, 2020, <https://doi.org/10.1016/j.compstruc.2020.106282>.
- S. Kim and S. H. Kim, "Lessons learned from the Existing Building Energy Optimization workshop: An initiative for the analysis-driven retrofit decision making," Ksce Journal of Civil Engineering, vol. 21, no. 4, pp. 1059–1068, Jul. 2016, doi: 10.1007/s12205-016-0727-7. <https://doi.org/10.1007/s12205-016-0727-7>
- Z. Zhou, Y. Goh, and Q. Li, "Overview and analysis of safety management studies in the construction industry," Safety Science, vol. 72, pp. 337–350, Feb. 2015, doi: 10.1016/j.ssci.2014.10.006. <https://doi.org/10.1016/j.ssci.2014.10.006>

Using Digital Twin Technology to Overcome Challenges in Civil Engineering and Construction: A Review

27. G. Yu, Y. Wang, Z. Mao, M. Hu, V. Sugumaran, and Y. K. Wang, "A digital twin-based decision analysis framework for operation and maintenance of tunnels," *Tunnelling and Underground Space Technology*, vol. 116, p. 104125, Oct. 2021, doi: 10.1016/j.tust.2021.104125. <https://doi.org/10.1016/j.tust.2021.104125>
28. Sartori, D., Catalano, G., Genco, M., Pancotti, C., Sirtori, E., Vignetti, S., & Del Bo, C. (2014). Guide to cost-benefit analysis of investment projects: Economic appraisal tool for Cohesion Policy, 2020.
29. Giusti, C., Carlsen, J., & Watson, K. (2014). The control of dust and emissions during construction and demolition. Greater London Authority.
30. M. Kassem, E. Mahamedi, K. Rogage, K. Duffy, and J. Huntingdon, "Measuring and benchmarking the productivity of excavators in infrastructure projects: A deep neural network approach," *Automation in Construction*, vol. 124, p. 103532, Apr. 2021, doi: 10.1016/j.autcon.2020.103532. <https://doi.org/10.1016/j.autcon.2020.103532>
31. B. Hong and L. Lü, "Assessment of emissions and energy consumption for construction machinery in earthwork activities by incorporating Real-World measurement and Discrete-Event Simulation," *Sustainability*, vol. 14, no. 9, p. 5326, Apr. 2022, doi: 10.3390/su14095326. <https://doi.org/10.3390/su14095326>
32. A. Ragnoli, M. R. De Blasis, and A. Di Benedetto, "Pavement Distress Detection Methods: A review," *Infrastructures*, vol. 3, no. 4, p. 58, Dec. 2018, doi: 10.3390/infrastructures3040058. <https://doi.org/10.3390/infrastructures3040058>
33. J.C.P. Cheng, Q. Lu, and Y. Deng, "Analytical review and evaluation of civil information modelling," *Automation in Construction*, no. 67, p. 31, 2016, <https://doi.org/10.1016/j.autcon.2016.02.006>. https://doi.org/10.1007/978-3-319-38756-7_4
34. M. W. Grieves and J. Vickers, "Digital Twin: mitigating unpredictable, undesirable emergent behavior in complex systems," in Springer eBooks, 2016, pp. 85–113. doi: 10.1007/978-3-319-38756-7_4. <https://doi.org/10.1016/j.autcon.2021.104081>
35. J. Feng, L. Ma, T. Broyd, W. Chen, and H. Luo, "Building digital twins of existing highways using map data based on engineering expertise," *Automation in Construction*, vol. 134, p. 104081, Feb. 2022, doi: 10.1016/j.autcon.2021.104081. <https://doi.org/10.1145/3369740.3372753>
36. Nag, S., Pal, T., Basu, S., & Das Bit, S. (2020). CNN-based approach for post-disaster damage assessment. pp. 1–6. doi:10.1145/3369740.3372753 <https://doi.org/10.1016/j.conbuildmat.2021.124831>
37. A. H. Rezaei, M. Godio, and K. Beyer, "Investigating the cracking of plastered stone masonry walls under shear-compression loading," *Construction and Building Materials*, vol. 306, p. 124831, Nov. 2021, doi: 10.1016/j.conbuildmat.2021.124831 <https://doi.org/10.1016/j.engstruct.2021.113486>
38. Gehri, N, J. Mata-Falcón, and W. Kaufmann, "Refined extraction of crack characteristics in Large-scale concrete experiments based on digital image correlation", *Engineering Structures*, no. 251, 2022, 113486, <http://dx.doi.org/10.1016/j.engstruct.2021.113486>. <https://doi.org/10.5194/isprsarchives-XL-5-W7-35-2015>
39. L. Barazzetti, F. Banfi, R. Brumana, D. Oreni, M. Previtali, and F. Roncoroni, "HBIM and augmented information: towards a wider user community of image and range-based reconstructions," *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, vol. XL-5/W7, pp. 35–42, Aug. 2015, doi: 10.5194/isprsarchives-xl-5-w7-35-2015. <https://doi.org/10.5194/isprsarchives-XL-5-W7-35-2015>
40. Hoskere, V., Y. Narazaki, T.A. Hoang, and B.F. Spencer, "Towards automated postearthquake inspections with deep learning-based condition-aware models", 2018, arXiv arXiv:1809.09195, URL <https://arxiv.org/abs/1809.09195>.
41. P.-A. Jouan and P. Hallot, "Digital Twin: Research framework to support Preventive Conservation Policies," *ISPRS International Journal of Geo-information*, vol. 9, no. 4, p. 228, Apr. 2020, doi: 10.3390/ijgi9040228. <https://doi.org/10.3390/ijgi9040228>
42. C. Rainieri, I. Rosati, L. Cieri, and G. Fabbrocino, "Development of the digital twin of a historical structure for SHM purposes," in *Lecture notes in civil engineering*, 2022, pp. 639–646. doi: 10.1007/978-3-031-07258-1_64. https://doi.org/10.1007/978-3-031-07258-1_64
43. N. Levine and B. F. Spencer, "Post-Earthquake building Evaluation using UAVs: a BIM-Based Digital Twin Framework," *Sensors*, vol. 22, no. 3, p. 873, Jan. 2022, doi: 10.3390/s22030873. <https://doi.org/10.3390/s22030873>
44. D. McCrum and M. S. Williams, "An overview of seismic hybrid testing of engineering structures," *Engineering Structures*, vol. 118, pp. 240–261, Jul. 2016, doi: 10.1016/j.engstruct.2016.03.039. <https://doi.org/10.1016/j.engstruct.2016.03.039>
45. M.J. Hashemi, A. Masroor, and G. Mosqueda, "Implementation of online model updating in hybrid simulation", *Earthquake Engineering and Structural Dynamics*, vol. 43, no. 3, p. 395, 2017. <https://doi.org/10.1002/eqe.2350>
46. X. Cao, X. Dai, and J. Liu, "Building energy-consumption status worldwide and the state-of-the-art technologies for zero-energy buildings during the past decade," *Energy and Buildings*, vol. 128, pp. 198–213, Sep. 2016, doi: 10.1016/j.enbuild.2016.06.089 <https://doi.org/10.1016/j.enbuild.2016.06.089>
47. J. D. Billanes, Z. Ma, and B. N. Jörgensen, "Consumer central energy flexibility in office buildings," *Journal of Energy and Power Engineering*, vol. 11, no. 10, Oct. 2017, doi: 10.17265/1934-8975/2017.10.001 <https://doi.org/10.17265/1934-8975/2017.10.001>
48. J. Drgoňa et al., "All you need to know about model predictive control for buildings," *Annual Reviews in Control*, vol. 50, pp. 190–232, Jan. 2020, doi: 10.1016/j.arcontrol.2020.09.001 <https://doi.org/10.1016/j.arcontrol.2020.09.001>
49. C. L. García, D. M. Pretti, and M. Morari, "Model predictive control: Theory and practice—A survey," *Automatica*, vol. 25, no. 3, pp. 335–348, May 1989, doi: 10.1016/0005-1098(89)90002-2. [https://doi.org/10.1016/0005-1098\(89\)90002-2](https://doi.org/10.1016/0005-1098(89)90002-2)
50. L. Brady and M. Abdellatif, "Assessment of energy consumption in existing buildings," *Energy and Buildings*, vol. 149, pp. 142–150, Aug. 2017, doi: 10.1016/j.enbuild.2017.05.051. <https://doi.org/10.1016/j.enbuild.2017.05.051>
51. P. Spidys, A. Jurelionis, and P. A. Fokaides, "Conducting smart energy audits of buildings with the use of building information modelling," *Energy and Buildings*, vol. 285, p. 112884, Apr. 2023, doi: 10.1016/j.enbuild.2023.112884. <https://doi.org/10.1016/j.enbuild.2023.112884>
52. A. Shabani, M. Kioumars, V. Plevris, and H. Stamatopoulos, "Structural Vulnerability Assessment of Heritage Timber Buildings: A Methodological proposal," *Forests*, vol. 11, no. 8, p. 881, Aug. 2020, doi: 10.3390/f11080881. <https://doi.org/10.3390/f11080881>
53. F. I. Apollonio et al., "A 3D-centered information system for the documentation of a complex restoration intervention," *Journal of Cultural Heritage*, vol. 29, pp. 89–99, Jan. 2018, doi: 10.1016/j.culher.2017.07.010. <https://doi.org/10.1016/j.culher.2017.07.010>
54. C. Tommasi, C. Achille, D. Fanzini, and F. Fassi, "Advanced Digital Technologies for the Conservation and Valorisation of the UNESCO Sacri Monti. In: B. Daniotti, M. Gianinetta, S. Della Torre (eds) Digital Transformation of the Design, Construction and Management Processes of the Built Environment. Research for Development. Springer, Cham. https://doi.org/10.1007/978-3-030-33570-0_34. https://doi.org/10.1007/978-3-030-33570-0_34
55. D. S. Noonan and I. Rizzo, "Economics of cultural tourism: issues and perspectives," *Journal of Cultural Economics*, vol. 41, no. 2, pp. 95–107, Mar. 2017, doi: 10.1007/s10824-017-9300-6. <https://doi.org/10.1007/s10824-017-9300-6>
56. Džikić, V., & Radin, M. (2019). Digital Technologies in Conservation of Cultural Heritage: Digitization and Values. *Преглед НИЦД*, 34, 39–48
57. M. G. Gomes and A. Tomé, "A digital and non-destructive integrated methodology for heritage modelling and deterioration mapping. The case study of the Moorish Castle in Sintra," *Developments in the Built Environment*, vol. 14, p. 100145, Apr. 2023, doi: 10.1016/j.dibe.2023.100145. <https://doi.org/10.1016/j.dibe.2023.100145>
58. D. Antón, B. Medjdoub, R. Shrahily, and J. Moyano, "Accuracy evaluation of the semi-automatic 3D modeling for historical building information models," *International Journal of Architectural Heritage*, vol. 12, no. 5, pp. 790–805, Jan. 2018, doi: 10.1080/15583058.2017.1415391. <https://doi.org/10.1080/15583058.2017.1415391>
59. A. Mol, M. Cabaleiro, H. S. Sousa, and J. M. Branco, "HBIM for storing life-cycle data regarding decay and damage in existing timber structures," *Automation in Construction*, vol. 117, p. 103262, Sep. 2020, doi: 10.1016/j.autcon.2020.103262. <https://doi.org/10.1016/j.autcon.2020.103262>



60. Dr. T. Mohanasundaram*, Dr. P. Karthikeyan, and P. Deepika, "A Research on Health Care Sector with Special Reference to Health Insurance in India," International Journal of Recent Technology and Engineering (IJRTE), vol. 8, no. 4. Blue Eyes Intelligence Engineering and Sciences Engineering and Sciences Publication - BEIESP, pp. 7418–7425, Nov. 30, 2019. doi: 10.35940/ijrte.d5311.118419. Available: <http://dx.doi.org/10.35940/ijrte.D5311.118419>
<https://doi.org/10.35940/ijrte.D5311.118419>

AUTHOR PROFILE



Krish Shah is a student at the Ahmedabad International School, Ahmedabad. He is currently pursuing Grade 12 and is planning to pursue civil engineering going forward. Krish has a deep interest in construction management and the intersection of civil engineering with technology. His internships at a large infrastructure project of the

Navrangpura Sports Complex in Ahmedabad, India and at a construction site at the pilgrimage location Palitana, Gujarat made him aware of the specific challenges encountered during construction. These experiences motivated him to explore the various ways in which information technology, artificial intelligence and machine learning can be used to mitigate such challenges faced by civil engineering professionals.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP)/ journal and/or the editor(s). The Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP) and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.