

Principal Component Analysis for Face Recognition

Saurabh P. Bahurupi, D. S. Chaudhari

Abstract:- Face recognition is a biometric technology with a wide range of potential applications such as access control, banking, information security, human computer interaction, virtual reality, database retrieval etc. This paper addresses the building of face recognition system by using Principal Component Analysis (PCA) method. PCA is a statistical approach used for reducing the number of variables in face recognition. While extracting the most relevant information (feature) contained in the images (face). In PCA, every image in the training set can be represented as a linear combination of weighted eigenvectors called as "Eigenfaces". These eigenvectors are obtained from covariance matrix of a training image set called as basis function. The weights are found out after selecting a set of most relevant Eigenfaces. Recognition is performed by projecting a new image (test image) onto the subspace spanned by the eigenfaces and then classification is done by distance measure methods such as Euclidean distance. A number of experiments were done to evaluate the performance of the face recognition system.

Keywords:- Face Recognition, Principle Component Analysis (PCA), Eigenface, Covariance matrix, Face database.

I. INTRODUCTION

Face is one of the most important visual objects in our life which playing a major role in conveying identity and emotion and includes rich information. Face recognition is a huge research area in computer vision, pattern recognition and plays a vital role in the applications of image analysis and understanding. Face recognition commonly includes feature extraction, feature reduction and recognition or classification. Feature extraction is to find the most representative description of the faces, making them can be most easily distinguished from others. Face reduction is to not only decompose and compress the original features but also not destroy the most important information. Recognition or classification is to choose the available measure method such as Euclidean distance, which is used to classify the feature of images present in the database and test image. Because the face image is often with a high dimension, it is difficult to use the original data directly, so it is critical to choose the effectively distinguished features for extraction and reduction. In all kinds of the algorithms of face recognition, Principle Component Analysis (PCA) [1-6] is effective feature extraction method based on face as a global feature. It reduces the dimension of image effectively and holds the primary information at the same time.

In this paper face recognition system is described and it is followed by the PCA algorithm. Finally the experimental results are provided.

II. FACE RECOGNITION SYSTEM

Typical structures of face recognition system consist of three major steps, acquisition of face data, extracting face feature and recognition of face. Fig. 1 shows typical structure of face recognition system in which subject under consideration given to the system for the recognition purpose this is consider to be acquisition of face image. Later on feature is extracted from the image and finally it is given for the recognition purpose. These steps are elaborated as follow.

A. Acquisition of Face Data

Acquisition and Processing of Face Data is first step in the face recognition system. In this step face images is collected from different sources. The sources may be camera or readily available face image database on the website. The collected face images should have the pose, illumination and expression etc variation in order to check the performance of the face recognition system under these conditions.

Processing of face database require sometimes otherwise causes serious affect on the performance of face recognition systems due changes in the illumination condition, background, lighting conditions, camera distance, and thus the size and orientation of the head. Therefore input image is normalized and some image transformation methods apply on the input image [8].

B. Extracting Face Feature

Feature extraction process can be defined as the process of extracting relevant information from a face image. In feature extraction, a mathematical representation of original image called a biometric template or biometric reference is generated, which is stored in the database and will form the basis (vector) of any recognition task. Later these extracted features used in recognition. A greyscale pixel is considered as initial feature.

C. Recognition of Face

Once the features are extracted and selected, the next step is to classify the image. Appearance-based face recognition algorithms use a wide variety of classification methods Such as PCA, LDA. In classification the similarity between faces from the same individual and different individuals after all the face images in database are represented with relevant features. Sometimes feature extraction & recognition process done simultaneously.

Manuscript Received on June 22, 2012.

Saurabh P. Bahurupi Department of Electronics and Telecommunication

Government College of Engineering Maharashtra, India,

D.S. Chaudhari Department of Electronics and Telecommunication Government College of Engineering Maharashtra, India




Fig.1 Face Recognition System

III. PCA ALGORITHM

Principal component analysis (PCA) is one of the most popular methods for reducing the number of variables in face recognition. In PCA, faces are represented as a linear combination of weighted eigenvectors called as Eigen faces [2][3][4]; These eigenvectors are obtained from covariance matrix of a training image set called as basis function. The number of Eigen faces that obtained would be equal to the number of images in the training set. Eigen faces takes advantage of the similarity between the pixels among images in a dataset by means of their covariance matrix. These eigenvectors defined a new face space where the images are represented. To fix the required notation, let us introduce the following symbols.

Let training image set I consist of N images each having size $a \times b$ pixels. Using conventional row appending method converts each of the images into $a \times b$ dimensional column vector.

$$I = \{i_1, i_2, \dots, i_N\}$$

(1)

Covariance matrix c of training image set are calculated by using equation (2)

$$c = \frac{1}{N} \sum_{n=1}^N (i_n - \bar{i})^T (i_n - \bar{i})$$

(2)

Where \bar{i} is the mean vector of all images in the training set. Eigenvalue and eigenvectors of covariance matrix is calculated using equation (3)

$$c v = \lambda v \tag{3}$$

Where λ denotes the eigenvalues of c , and v stands for the corresponding eigenvectors. Note that the rank of the covariance matrix is N , hence at most N number of eigenvectors can be computed.

$$U = (i_n - \bar{i}) \times v \tag{4}$$

Where $n = 1, 2, \dots, N$.

The Eigenvectors found, U have a face like appearance, they are called Eigen faces. Sometimes, they are also called as Ghost Images because of their weird appearance

After the face space has been constructed, the feature vectors are formed as a linear combination of the eigenvectors of the covariance matrix. Project an image i_n into the face space with the help of following equation.

$$P_n = U^T \times (i_n - \bar{i}) \tag{5}$$

Where $P_n, n = 1, 2, \dots, N$ are the vector of weights associated with the eigenvectors in c . One can experiment with the number of eigenvectors to compute the weights, generally only a few amount provide sufficient information for adequately representing the images in the face space.

For recognition of unknown face or test image, normalize it by subtracting from mean vector of all images in the training set. Then using equation (4) project the normalized test image as shown in the following equation

$$T = U^T \times D \tag{7}$$

Where D is normalize the test image.

After the feature vector (weight vector) for the test image have been found out, next step is to classify it. For the classification task we could simply use Euclidean distance classifier.

$$e = \min \|T - P_n\|$$

(8)

$n = 1, 2, \dots, N$. If the distance is small, we say the images are similar and we can decide which the most similar image in the database.

IV. AND DISCUSSION

To check the system performance two different databases are used for the experiments: Indian face database [12] and Face94 database [13]. The algorithm for PCA based face recognition system is developed in the Matlab 7.8.0 environment. The recognition accuracy of the system is computed as the ratio of the faces recognized correctly from the test set over the total number of faces in the test set.

In the first experiment, an individual image provided as a test image or input image to the system, the system recognized correct image from database as shown in Fig.1. For this experiment images from Face94 database are used. The test image is identified as the person with the smallest value among all the Euclidean values of images present in the database. Fig.2 shows the Euclidean distance measure between test image and individual images present in the database. From figure it is clearly observed that at second position has very less Euclidean distance so that the image to be recognized present at second position in the database. Euclidean distance provide similarity measure of feature between test and images present in the database.



Fig.2 The Recognition of Individual Images having expression variation




Fig. 2 Euclidean Distance vs Input Image for the Face94 database. Input image number indicates the position of the image in the database

An input image having pose variation was provided in the second experiment, system correctly recognized image from the database as shown in Fig.3. Fig.4 shows Euclidean distance measure between test image and images present in the database. In this figure image present in the database at position one having less Euclidean distance as compared to the other images so that the system recognized image present at position one in the database. Less Euclidean distance shows that maximum feature of input image and image to be recognized is matched. Less Euclidean distance indicates the maximum feature of input image and recognized image is matched.




Fig. 4 Euclidean Distance vs Input Image no. for the Indian Face database. Input image number indicates the location of the image in the database


Third experiment is performed by increasing the amount of salt and pepper noise in the test images to determine a tolerance level of face recognition system. Fig. 5 provides some noisy images for a subject from the Face94 database. In these images noise density is gradually increasing. In Fig. 6 results for the noisy images are shown which indicates that accuracy of the system gradually decreases as the noise density in the image increases. The accuracy of the system saturates after certain increase in Eigen value



Fig.3 The Recognition of Individual Images having Pose variation



Fig. 5 Images of the Same Individual with Different Salt and Pepper Noise Level



In fourth experiment provided an images having variation in the size. Experimental result shows that image size not affects greatly the system accuracy. Fig.7 shows recognition accuracy for different image sizes. From figure it is observed that if the images are collected as 50 × 50 pixel images then the recognition rate is still satisfactory




Fig 7 Recognition accuracy for different image size. Test image having small size doesn't affect the performance of the system

V. CONCLUSION

In PCA based face recognition, increase in the number of Eigen value will increase the recognition rate. However, the recognition rate saturates after a certain amount of increase in the Eigen value. Increasing the number of images and variety of sample images in the covariance matrix increases the recognition rate however noisy image decrease the recognition accuracy. In general, the image size is not important for a PCA based face recognition system. Expression and pose have minimal effect to the recognition rate while illumination has great impact on the recognition accuracy. As such, continuous works have been carried out in order to achieve satisfactory results of face recognition system.

All these discussion provide useful performance evaluation criteria for optimal design and testing of human face recognition system.

REFERENCE

1. W.Zhao, R.Chellappa, P.J.Phillips and A. Rosenfeld, "Face Recognition: A literature Survey. *ACM Comput.Surv.*, 35(4): 399-458, 2003.
2. M.A.Turk and A.P. Pentland, "Face Recognition Using Eigenfaces", *IEEE conf. on Computer Vision and Pattern Recognition*, pp. 586-591, 1991.
3. B.Poon, M. Ashraful Amin, Hong Yan "Performance evaluation and comparison of PCA Based human face recognition methods for distorted images" *International Journal of Machine Learning and Cybernetics*, Vol. 2, No. 4, pp. 245-259, July 2011. Springer-Verlag 2011.
4. G. J. Alvarado, W. Pedrycz, M. Reformat, Keun-Chang Kwak "Deterioration of visual information in face classification using Eigenfaces and Fisherfaces" *Machine Vision and Applications*, Vol.17, No. 1, pp. 68-82. Springer-Verlag 2006.
5. G. Jarillo, W.Pedrycz, M. Reformat "Aggregation of classifiers based on image transformations in biometric face recognition" *Machine Vision and Applications* (2008) Vol. 19, pp. 125-140, Springer-Verlag 2007.
6. Ling-Zhi Liao, Si-Wei Luo, and Mei Tian "Whitenedfaces" Recognition With PCA and ICA" *IEEE Signal Processing Letters*, Vol. 14, No. 12, pp1008-1011, Dec. 2007.
7. Kwan-Ho Lin, Kin-Man Lam, and Wan-Chi Siu "A New Approach using Modified Hausdorff Distances with EigenFace for Human Face Recognition" *Seventh international Conference on Control, Automation, Robotics And Vision (ICARCV'02)*, Singapore, Dec 2002.
8. Shermineh J "Illumination Invariant Face Recognition Using Discrete Cosine Transform And Principal Component Analysis" *International conference on Emerging Trends in Electrical and Computer Technology (ICETECT)-2011*.
9. A.Eleyan and H. Demirel "Face Recognition using Multiresolution PCA" *IEEE International Symposium on Signal Processing and Information Technology-2007*.
10. W.Zuo, David Zhang, Jian Yang, and Kuanquan Wang "BDPCA Plus LDA: A Novel Fast Feature Extraction Technique for Face Recognition" *IEEE Trans. On Systems, Man, and Cybernetics—Part B: Cybernetics*, vol. 36, no. 4, pp. 946-953 Aug. 2006
11. L.Wiskott, Jean-Marc Fellous "Face Recognition by Elastic Bunch Graph Matching" *In Intelligent Biometric Techniques in Fingerprint and Face Recognition*, eds. L.C. Jain et al., publ. CRC Press, ISBN 0-8493-2055-0, Chapter 11, pp. 355-396, (1999).
12. Indian face database (2002) www.cs.umass.edu/~vidit/Indian
13. FaceDatabase
14. Dr Libor Spacek, Faces Directories, Faces 94 Directory, <http://cswww.essex.ac.uk/mv/allfac>

Member on different committees of All India Council for Technical Education, Directorate of Technical Education for Approval, Graduation, Inspection, Variation of Intake of diploma and degree Engineering Institutions. As a university recognized PhD research supervisor in Electronics and Computer Science Engineering he has been supervising research work since 2001. One research scholar received PhD under his supervision. He has worked as Chairman / Member on different university and college level committees like Examination, Academic, Senate, Board of Studies, etc. he chaired one of the Technical sessions of International Conference held at Nagpur. He is fellow of IE, IETE and life member of ISTE, BMESI and member of IEEE (2007). He is recipient of Best Engineering College Teacher Award of ISTE, New Delhi, Gold Medal Award of IETE, New Delhi, Engineering Achievement Award of IE (I), Nashik. He has organized various Continuing Education Programmes and delivered Expert Lectures on research at different places. He has also worked as ISTE Visiting Professor and visiting faculty member at Asian Institute of Technology, Bangkok, Thailand. His present research and interests are in the field of Biomedical Engineering, Digital Signal Processing and Analogue Integrated Circuits.

AUTHORS PROFILE



Bahurupi received the B.E. degree in Electronics and Telecommunication Engineering from the Sant Gadge Baba Amravati University in 2010, and he is currently pursuing the M. Tech. degree in Electronic System and Communication (ESC) at Government College of Engineering Amravati, Maharashtra



Devendra S. Chaudhari obtained BE, ME, from Marathwada University, Aurangabad and PhD from Indian Institute of Technology Bombay, Powai, Mumbai. He has been engaged in teaching, research for period of about 25 years and worked on DST-SERC sponsored Fast Track Project for Young Scientists. He has worked as Head Electronics and Telecommunication, Instrumentation, Electrical, Research and incharge Principal at Government Engineering Colleges. Presently he is working as Head, Department of Electronics and Telecommunication Engineering at Government College of Engineering, Amravati. Dr. Chaudhari published research papers and presented papers in international conferences abroad at Seattle, USA and Austria, Europe. He worked as Chairman / Expert