

Equalization of Supervised Data Trained RBFNN using MSFLA

Sunita Panda, Padma Charan Sahu

Abstract: In order to avoid the channel distortion in signal processing recently, RBFNN based equalizers is mentioned. Hit and trail method is the main provocation problem for design of RBFNN Equalizer. Here the initiation is start with use of the population based optimization algorithm trained RBFNN equalizer, such as Shuffled Frog-Leaping Algorithm as well as its modified forms. The observation is made on the basis of its performance as compared to the other equalizers.

Keywords: RBFNN, Equalization Technique, SFLA.

I. INTRODUCTION

In the recent era research on channel equalization gives priority on different types of evolutionary algorithms. The description of channel equalization using different different types Artificial Neural Network and fuzzy systems as in [1]-[2]. The channel equalization techniques represent use of neural networks [3, 4] because of its limitations. As Artificial Neural Networks provides lengthy, not easy to calculate the optimum values so that a new technology used such as RBFNN provides lesser complexity and also provide better performance as compared to ANN. So Radial Basis Functional Neural Network in channel equalization is active area for the research work.

The major problems of RBFNN are that setting of parameters such as centers and widths. By using classical methods the parameter of RBFNN was determined in [5]. To overcome the drawback of existing algorithm such as Particle Swarm Optimization Algorithm and Genetic Algorithm, SFLA is used. SFLA provides simple in steps, less parameter used and easy realization. To overcome the drawback of Artificial Neural Network, Shuffled Frog Leaping Algorithm used to train RBFNN based equalizer.

II. SHUFFLED FROG LEAPING ALGORITHM

This Algorithm requires few parameters to optimize. In this technique the individual frog shows a solution to the problem. By taking in to number of frog the population is constituted, which is again categorized into different subunits, sub-memelexes. The flow chart and the basic steps of this algorithm shown.




Fig. 1

A. Basic steps of SFLA

1. Create an initial population randomly.
2. Fragment the individual population in to memeplexes.
3. Within individual constructed memeplexes make sure for causing memetic evolution, which may improve the quality of individual memes and also increase performance.
4. Calculation of step size.

The step size is

$$S = r(X_b - X_w) \quad (1)$$

$$X'_w = X_w + S, (S < S_{max}) \quad (2)$$

Manuscript published on 30 December 2018.

* Correspondence Author (s)

Sunita Panda, Department of Electronics and Communication Engg, GITAM Deemed to be University, Bengaluru, India,

Padma Charan Sahu, Department of Electronics and Communication Engg Kalam Institute of Technology, Berhampur Odisha, India,

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an open access article under the CC-BY-NC-ND license <http://creativecommons.org/licenses/by-nc-nd/4.0/>.

Equalization of Supervised Data Trained RBFNN using MSFLA

Where s be the step size. r is the random variable whose value lies between (0 1). X_b be the best fitness of the frog. The worst fitness of the frog is X_w .

From equation – (1) we observed that the step size is not sufficient to for updating the solution, therefore to increase the step size we can go for Modified form of Shuffled Frog Leaping Algorithm (MSFLA).

III. MODIFIED FORM OF SFLA

As the step size is not so large for finding the updated solution, a Mutation operator is multiplied for improving the convergence speed .The total population size is N . Therefore the Eq-1 is rewritten as

$$S = w_i * (X_b - X_w)r \quad i = 1,2,3,4,5,\dots,N \quad (3)$$

w_i is defined as

$$w_i = w_l + (w_h - w_l) * X_i \quad (4)$$

and is known as compressibility factor.

For increase the speed Zhang et.al used AFSA i. e Artificial Fish Swarm Algorithm for exchange of information globally, and kavousifard shows a rearrangement for updating the worst one by a new vector

IV. PROPOSED TRAINING METHOD

The basic training for RBFNN is that to determine Radial Basis Functions and centres etc. The training method is outlined below. i.e:

1. Introduce the number of memes. Every memes relating to the systems. Begin the iteration.
2. Individual meme is decoded to Artificial Neural Network, determine the weights with the help of pseudo-inverse method. And determine fitness.
3. Position to be refreshed using Shuffled Frog Leaping Algorithm.
4. Move to upcoming iteration;
5. Move to step ii till extend to utmost limit.

V. SHUFFLED FROG LEAPING ALGORITHM RADIAL BASIS FUNCTIONAL BASED EQUALIZER

While modeling the channel, The concern system uses output channel parameter to eradicate the complex process, which is exist in both channel (linear and Non linear). The prime work of this paper is to find the channel output states. This may cause trouble for the process of equalization.

For Shuffled Frog Leaping Algorithm Radial Basis Functional Based Equalizer N be the Initial population (individual memes).




FIG. II

The given table shows the parameters for the simulation.

Genetic Algorithm		Particle Swarm Optimization		Shuffled Frog Leaping Algorithm	
Parameter	Value	Parameter	Value	Parameter	Value
Total steps	500	Total steps	500	Total steps	500
Total individuals	25	Particles	25	Population	25
Mutation ratio	0.03	Coefficient C1	0.7	Number of memplexes	10
Mutation type	Uniform			Memes in Sub-Memplexes	08
				Number of Memetic evolutions	10

VI. SIMULATION OUTCOMES

In order to find outcomes of the suggested Shuffled Frog Leaping Algorithm Radial Basis Functional Based Equalizer, Comparison is made between GA based Functional NN and PSO based Functional NN and the concerned Equalizer. The simulation parameters are shown in table 1


By using a distorted channel having the transfer function Simulations were conducted

$$H(z) = 0.26 + 0.93z^{-1} + 0.26z^{-2} \quad (5)$$

$$y(n) = \tanh[x(n)] \quad (6)$$


Equation (6) shows the nonlinearity which is introduced in the channel.





MSE of RBFNN Equalizers. (X-Axis-Number of iteration & Y-Axis- MSE)

Fig- iii



Bit Error Rate of RBFNN Equalizers. (X-Axis-SNR & Y-Axis-BER)

Fig iv

From the above graph, suggested SRBF-J represents excellent outcomes compared to others. SRBF-J based equalizer requires 250 iteration to achieve convergence as shown in the figure where as the others are fails at this point.

Likewise graph iv shows the BER comparison among the equalizers and shows that Shuffled Frog Leaping Algorithm Radial Basis Functional Based Equalizer performs better than others. Finally the overall performance of SRBF- J is better in all aspect i.e. SNR and Bit Error Rate as compared to other based equalizer

VII. CONCLUSION

Here the observation is on RBFNN training of Modified form using Shuffled Frog Leaping Algorithm. Here the major contribution is comparison among the equalizers by considered to their performance (SNR and BER) and is observed that Shuffled Frog Leaping Algorithm Radial Basis

Functional Based Equalizer performs well as compared to other equalizers.

REFERENCES

1. Burse K., Yadav R. N., and Shrivastava S. C., 2010, Channel Equalization Using Neural Networks: A Review, IEEE Trans. On Systems, man and cybernetics-Part C: Applications and Reviews, Vol. 40, No. 3, pp.352-357.
2. Subramanian K, Savitha R, Suresh M, 2014, A complex-valued neuro-fuzzy inference system and its learning mechanism, Neurocomputing, Vol. 123, pp. 110-120.
3. Ruan X, Zhang Y, 2014, Blind sequence estimation of MPSK signals using dynamically driven recurrent Neural Networks, Neurocomputing, Vol. 129, pp. 421-427
4. Cui M, Liu H, Li Z, Tang Y and Guan X, 2014, Identification of Hammerstein model using functional link artificial Neural Networks, Neurocomputing, Vol. 142, pp. 419-428
5. Chen S, Mulgrew B, Grant P. M, 1993, A Clustering Technique for Digital Communications Channel Equalization Using Radial Basis Function Networks, IEEE Transactions on Neural Networks, Vol 4, pp. 570-579
6. Gan, M., Peng, H. and Chen, L. 2012, Global-local Optimization Approach to Parameter Estimation of RBF-type Models. Information Sciences. Vol.197, pp.144-160
7. Cıvıcioglu P., Alç M and Beşdok E, 2005, Using an Exact Radial Basis Function Artificial Neural Network for Impulsive Noise Suppression from Highly Distorted Image Databases, Lecture Notes in Computer Science, Vol. 3261, pp 383-391
8. Schilling RJ, Carroll JJ Jr and Al-Ajlouni AF, 2001, Approximation of Nonlinear Systems with Radial Basis Function Neural Networks, IEEE Transactions on Neural Network, Vol. 12, No. 1, pp.1-15.
9. Yavuz, O. and Yildirim, T., 2008, Design of digital filters with bilinear transform using neural networks," 16th IEEE Conference on Signal Processing, Communication and Applications, pp.1-4.



Dr Sunita Panda is presently working as Assistant Professor in the department of Electronics and Telecommunication Engg, GITAM Deemed To be University, Bengaluru Campus. She has published many research papers in national and international journals. having 15 years of experience in the field of teaching, research. Her area of interest include soft computing, Channel equalization, digital Signal processing.



Padma Charan Sahu is presently working as Assistant Professor in the department of Electronics and Telecommunication Engg., Kalam Institute of Technology, Berhampur Odisha.. He has published many research papers in national and international journals. having 10 years of experience in the field of teaching, research. His area of interest include soft computing, Channel equalization, digital Signal processing and Microprocessor & Microcontroller.