

Impacts of Differently Abled Human Computer Interactions and their Quality of Life

Venkatesh Sharma, Sasikala Dhamodaran

ABSTRACT--- *Human-computer interaction (HCI) consultants recommend methods aimed at construction of the interfaces to software purposes. These highlights evolving an inherent interpretation of user features and errands. As significant as HCI is for constructing plug-ins worked out via the common people, yet it is further vital if the focus onlookers are differently abled humans (DAHs). Amending the existing designed software is under process headed for improving the quality of life for DAHs and their assisting analysts is ensured. Analysis, review and a detailed study were performed that includes inferred advices from counselors/analysts and DAHs in and around our living circumstances to enhance the DAHCI artefact. The responses of all stakeholders are considered for the efficacious devising of this system by means of the rigorous needs noted from the exploration of this research.*

Index Terms - Index Terms—Human-computer interaction (HCI), Differently Abled Humans (DAHs), Differently Abled Human-computer interaction (DAHCI), Quality of Life, effectiveness, efficiency.

I. INTRODUCTION TO HUMAN COMPUTER INTERACTION

Human Computer Interaction (HCI) is the disciple that deals with human collaborating with computers with intentions that it empathizes, characterizes and fabricates systems and its interfaces that are pleasurable to manipulate, take part in winning and are user-friendly. Established very early and then it was prone in the direction of “usability” of the interface systems that concentrates at nonfunctional obligations, extending as of this usability towards maintainability, getting on it was balanced through “functionality” of the system with the authentic symmetry found the minute an equilibrium relating to these dual features - functionality and usability of the system is at hand and is fundamentally investigated on HCI design [12] that embraces user endeavor and so must be apparently sensed and verified [20, 21]. The involvement of user is physical, mental and/or emotional participates. This manuscript resolves additional clarifications of the modern innovations and its impacts concerning the characteristics of HCI and on the other hand review a handful of the consequences of intensifying technological trends that must be explored [2] upon particularly for the DAH known as Differently Abled Human Computer Interaction DAHCI systems.

Though, HCI leads to well-organized user conducting, the queries regarding the DAH need for computers indicates to transformation with advancement with innovative feel to the time ahead, especially the HCI professionals currently ought to make every effort for a consistent globe where automation tools that include Artificial Intelligence (AI) and Machine Learning (ML) and routine living endures in synchronization.



Figure No.1: Human Computer Interaction

HCI entails of three major chunks with the user, the computer, and their interaction i.e., the directions both are teaming up as one [14].

HCI is imparted nowadays in several branches that deals with information technology, together with psychology, ergonomics, sociology, sociocultural, philosophy, economics, law, mathematics, ecology, biology, design, media, communication studies, cognitive science, information science, science and technology studies – web engineering, artificial intelligence and machine learning, pervasive



Revised Manuscript Received on 14 February, 2019.

Venkatesh Sharma, Professor, CVR College of Engineering, Hyderabad, Telangana, India (E-mail: venkateshsharma.cse@gmail.com)

Sasikala Dhamodaran, Professor, CVR College of Engineering, Hyderabad, Telangana, India (E-mail: anjansasikala@gmail.com)




Figure Nos. 2, 3: visualization of the variety of disciplinary knowledge and skills involved in contemporary design of human-computer interactions

Computing, ubiquitous computing, ambient intelligence [13], etc., geographical sciences, management information systems, and industrial, manufacturing, systems engineering and a few more. HCI exploration and procedures captivates and fuses all these prospects. HCI is the identity in a society of societies.

II. REVIEW OF LITERATURE STUDIES

Using a Viola-Jones algorithm the face detection is done, then Circular Hough Transform locates the pupil and blob analysis method locates the glint, gaze direction of the user is assessed and operates the input devices of a computer like keyboard and aids to identify the key to be pushed in [1]. The innovative HCI system rewarded its job for a precise differently abled individual, thereby they're capable to perform their duties [2]. Summarize how they remain dissimilar as of those cast-offs in outdated technical exploration [2, 3, 4, 5, 6, 7, 15]. Defines the alteration and substitution of traditional input tools - the keyboard and mouse, and the input methods with switches [4, 7]. Talk to the hand! Digital inclusion of deaf, blind people [5]. The assistive collaboration is still highly holding back! And completeness on each feature is the resulting aspiration to accomplish [8]. This work precisely focuses on constructing procedures that were emphasized by applicants with mobility or motion impairments through a usability assessment to display that still in an equitably similar cluster, numerous distinct variances will occur that may impact the fabrication of adaptive systems [9]. Generally, at hand an insight of amplified freedom as of the utility of audio-based ecological gauge/valve device/switch/monitor [10]. Investigational outcomes illustrate that the established interface has good functioning and can be castoff for working real-time interaction and switch in Electrooculography (EOG)-based HCI systems or just as for history of first-human direction-finding depictions in games industry [11]. Tangible user interface (TUI) presents physical structure to digital information associating their space and study realizing elderly people included in the development, from constructing to assessing the model and exploring its consequences of grownup adults' public communications and wellbeing [17]. The Human-Computer-

Context Interaction (HCCI) framework was anticipated and they need to be further assessed based on comparisons with other innovative projects [19].

III. ADVANCEMENTS IN HCI SYSTEMS

Subsequent topics are presently reviewing the current developments and pioneering forecasts in the exploration of HCI. Artificial Intelligence, Natural Language Processing and Machine Learning, Artificial Neural Networks, Expert Systems, Fuzzy Systems, Pervasive Computing, Ubiquitous Computing would be all over the place [13], Cloud Computing, Visualization and Scientific Computing,




Figure No. 5: Apple's iPhone HCI experiences

Ambient Intelligence: Clearly stating it is a pervasive computing setting that permits it to collaborate over and act in response suitably to the individuals in that surrounding [13],

Graphics and Animation Design, Image Processing and Computer Vision, Multimedia Content Distribution, User-interface Design, Virtual Reality, High-performance Computing, Web of Things etc.

IV. MONOMODAL AND MULTIMODAL HCI SYSTEMS

Monomodal HCI systems get through anyone particular type of interactions and this is useful for the differently abled persons. There are three types of Monomodal HCI systems - vision-centered, audio-centered and sensor-centered monomodal HCI systems. Sight impaired persons interact with audio-centered monomodal HCI systems, specialized with techniques related to Facial Expression Analysis, Gesture Recognition, Body Movement Tracking, Gaze Detection (Eyes Movement Tracking) algorithms, etc., whereas, hearing impaired persons collaborate using vision-centered monomodal HCI systems focused on Speech Recognition, Speaker Recognition, Auditory Emotion Analysis, Human made noise/Signal Detections (Gasp, Laugh, Sigh, Cry and so on), Musical Interaction etc.,. Normal persons coordinate by all types of communications - vision-centered, audio-centered and / or sensor-centered focus on Pen-Based Interaction, Mouse & Keyboard, Joysticks, Motion Tracking Sensors and Digitizers, Haptic Sensors, Pressure Sensors, Taste/Smell Sensors etc., multimodal HCI systems. Monomodal HCI systems are made use by differently abled persons, but, multimodal HCI systems are benefitted by gaming industry, digital media, film industry and robotics in real-time.



V. DAHCI SYSTEMS

Main Construction Problems Recognized are Practice larger graphic rudiments i.e. fonts, buttons, icons etc. Actual limited colors, visibly different as of some others. Audio is cast-off to support the pictorial data nevertheless manipulated extremely scarcely. Hold entities easy [16]. Reduce the extent of data that needs to be thought of from one canopy to the resulting. Employ fluency and pictures for entities that must be retained. Lessen the generally recommended quantity of highest components on a display that was a vital instant. Lead manipulators' mind by constructing and clustering the components [18]. Stay away from concurrent errands. Prevent extensive on paper data. Suggest a confined and constricted choice organization with limited selections for preferences.

Objectives to manufacture practical, secured, effective and efficient functional systems. For constructing such computer developers must put efforts towards:

- Recognizing the aspects that govern how DAH exercise the technology.
- Build and/or renovate tools and methods to empower in the construction of appropriate systems.
- Accomplish effective, efficient, and protected interaction.
- Entertainments, games, exercises, etc. have been introduced for them to relax and enjoy themselves.
- Position persons, especially DAH first.

VI. RESULTS & DISCUSSIONS

Future trend of DAHCI states computers is ambient intelligence, ubiquitous and pervasive in that way our survival will be spellbound by computers. In the interim, the threatening part of this is for instance, violation of privacy owing to the existing ubiquitous technologies, Accommodating the **DAH** specifically with a pleasant and correct incident is intensification of eligibility of user-centered consistency in response by means of maximum tips given below ought to amend them cause advancements in the precise path for these distinctive users.

A. For the Vision Impaired DAHCI

Software translators will not interpret graphical subject matters signifying this one's vitality in possessing some text to describe graphics individually, and that's same for those graphics that stand not anything but then text as well. It's immeasurably inflexible to amplify text hand over in graphic form than in usual written fonts. Mark graphics with ALT text. Don't limit font sizes or put up outlines stiff. The issue is much at ease for users with limited vision to vary dimensions of the page for their ease if there are no constraints.



Figure No. 6: Keyboard for vision impaired DAH

Attempt to utilize informative labels for page captions – it takes more time for a blind person to “scan” a page than it does for a sighted person.

Always use usual HTML – software can out up with desperately by HTML that doesn't stick to a typical structure.

Try not to use a text only substitute website – fabrication must be common and text only substitutions ought to be the last wishes.

B. For the Audio Impaired DAHCI

It's secure to overlook that various websites give encounters for the perceive sound impaired too [5]. A crucial explanation for this is that several heedless and earshot gives in individuals depend on sign language instead of analysis of a language for interactions.

Best to retain language uncomplicated, always ensure using small words in place of big words. Challenging complications of language continually with a Flesch-Kincaid test lives. The beneficial news is that it's for all users. The approachability of language can immensely widen the spectators that involve by our matter contact.

Deliver secure descriptions for audio and video wherever feasible. If not entrenched the depictions on a video precisely; impart a link to a text of the video. Attempt and retain this link as compact to the video as viable to be effortless to trace.

Offering the processing amenities – effort on the way to produce confidence and that they are simple to use in a

C. For the Physically (Mobility) Impaired DAHCI

Numerous resolutions are employed in the hardware and software level too.

Wheelchair and that there's enough place for the movement impaired to operate in as well [8, 9].



Figure No. 7 Technology for audio impaired DAH

D. For the Learning Impaired DAHCI

To be remembered that close at hand are bulky figures of folks with cognitive incapacities. Though specified an enormous series that the problem is almost impractical to accommodate for complete learning impairments. Yet, few over-all methods aid initiate extensive likely onlookers lacking exceedingly troublesome in the design and development team.

The practice of modest, even screens (the capacity to interpret one solo entity at all timely situation) benefits retain clarity to a maximum and have somebody's notice engrossed on that notion. Hang on to simple language dictate support promoting the learning impaired. Best hint to have page interruptions to least – loads of repositioning graphics or enormously complicated navigation systems can annoy and complicate certain individuals through learning impairment.




Figure No. 8: Technology for physically impaired DAH

Attempt to preserve lists in small and systematic sensible groups. This is particularly exact if they comprise links to further chunks of the website. By means of audio, visual and text to demonstrate the identical opinion supporting somebody continue intensifying and hold evidence also. Advantageous to think an effortless, reliable method to revert to the homepage so that if details turn out to be overmuch – the folks can simply begin another time.




Figure No. 9: For learning impaired DAH

VII. INNOVATIONS IN DAHCI FOR IMPROVING THEIR QUALITY OF LIFE

HCI implicates the manufacture of interactive computing systems for DA individuals augmenting their employment and recreation. Around 300 organizations are concerned with the conception of hardware and software computational models that assist humans and computers interact. For DA Innovative natures of system functionality are mandatory, and innovative functionality is influenced by novel technology and software.

Earlier HCI, ignited curiosity in Manipulator Involvement and Collaboration Design. Later subsequently, the advent of personal computers (PC) and personalized network software with Word-like text editors in Excel-like spreadsheets. The invention of personal computers as well directed to naive operating systems, programming languages, and hardware with a big initial application by interactive computer games such as Pac-Man.

Numerous organizations are strong in improving interactive computer systems and in what way they help users, organizations, and the public.

One and only immense modification in HCI is as of the logical grouping of UI functionality to a further usual communication between DA humans and computers. Novel HCI systems are designed by first understanding what user intent is and then to provide a UI with the functionality needed. With complications, for example, carpal tunnel syndrome and workplace employees and computer manipulators sensing identical to drones, not to remark of late analogies of computer occupation to burning, generating

human computer interfaces that drive workforces to be constructive and heartwarming happens to be the target.

As a result, HCI engineers and designers are beginning to monitor people's brain activity as they interact with computers in the hopes of recognizing thoughts that could be turned into commands. There is also an attempt to gather information on user emotional states to provide customized experiences to make DA users more productive. The pointed users - DAH, the assignments - DAHCI, the emphasized technology – Monomodal or Multimodal HCI systems, and perspective of purpose differently abled human based, on – vision, audio, sense, mobility, or learning impaired, signify the four general aspects that must remain comprehended to qualify the advancement of an operational interactive system [7]. Still, these four features are vibrant and go on, growing on top of time, causing it vastly hard to decide at a static suite of usability properties. Additionally, the usability qualities are with clear-cut purpose and motivated by these four general features. Usability traits take an influence on the evolution process as they turn out to remain as usability constraints and sequentially enumerated usability disclaimers that resolve shortest impression taking place in the design result. Usability experts long for achieving usability assessments to confirm that the concluding system dictate sustaining these usability goals [20, 21].

CONCLUSIONS

Finally, the process for the construction of DAHCI, though extensive and elaborate, stands essential and valuable for DAH quality of life. The cautious learning of the HCI interface fabrication problems compared to the requirements of the extraordinary cluster of manipulators will constitute achievements to the artefact DAHCI, ahead of anything the austere operativity might still ensure on those conditions. The analysts and DAHs making the benefits of the plug-in will be sure to act on optimistically for it. Numerous remarks are expected to receive high spots, i.e., the positive, constructive and advantageous characteristics of the plug-in for the DAHs. Significant extent of effort is vital because of DAHs and analysts to fulfill this procedure, from the beginning of the discussion to the extensive forms to the ponderings in the development and testing stage, and their entire association in the advancement of the augmentations.

REFERENCES

1. Uma Sambrekar, Dipali Ramdasi, "Human computer interaction for disabled using eye motion tracking", International IEEE Conference on Information Processing (ICIP), Dec. 2015, Pune, India, pp. 16-19.
2. Szczepaniak OM, Sawicki DJ, "Gesture controlled human-computer interface for the disabled", Medcyna Pracy, 28th February 2017, vol.68, no.1, pp 11-21.
3. Alan Newell, "User-Sensitive Design for Older and Disabled People", The Engineering Handbook of Smart Technology for Aging, Disability, and Independence, January 2008, pp 785-802.

4. G.Fraser Shein, Jutta Treviranus, Nicholas D.Brownlow, Morris Milner, Penny Parnes, "International Journal of Industrial Ergonomics", February 1992, Vol. 9, no. 2, pp. 171-181.
5. Tom Bieling, Gesche Joost, "Talk to the hand! Digital inclusion of deaf blind people", Design Research Lab in AljoschaBurchardt, Hans Uszkoreit (Eds.), 2018.
6. J.C. Muzio and M. Serra, "HCI Challenges in Designing for Users with Disabilities", International IEEE Conference on HCI, Aug. 2001, New Orleans, vol. 1, pp.46-50.
7. Paula Kotzé, Mariki M. Eloff, Jan H. P. Eloff, "Accessible Computer Interaction for People with Disabilities: The Case of Quadriplegics", 6th International Conference on Enterprise Information Systems, April 2004, Porto, Portugal, pp 14 – 17.
8. Tiago João Vieira Guerreiro, "Assistive Technologies for Spinal Cord Injured Individuals: A Survey", MSc Thesis, Master's Degree in Department of Computers and Information Technology Engineering, Alameda, Instituto Superior Tecnico, TecnicoLisboa, 2005, pp 1-75.
9. Mardé Greeff and Paula Kotzé, "Individual Difficulties Faced by Persons with Mobility Impairments", Proceedings of the IADIS International Conference on Interfaces and Human Computer Interaction, 2007, pp 186-191.
10. Simon Judge, Zoë Robertson, Mark Hawley, Pamela M Enderby, "Speech-driven environmental control systems--a qualitative analysis of users' perceptions", Journal of Disability and Rehabilitation: Assistive Technology, 2009, vol 4, no.3, pp 151-157.
11. Cristian-Cezar Postelnicu, Florin Gîrbacia, Doru Talaba, "EOG-based visual navigation interface development", Expert Systems with Applications, vol. 39, no. 12, 15 September 2012, pp 10857-10866.
12. Rachit Gupta, "Human Computer Interaction – A Modern Overview", International Journal of Computer Technology & Applications, 2012, vol.3, no.5, pp.1736-1740.
13. Yves Punie, "A social and technological view of Ambient Intelligence in Everyday Life: What bends the trend?", European Media, Technology and Everyday Life Research Network (EMTEL), Technical Report EUR, EN, Institute for Prospective Technological Studies Directorate General Joint Research Centre European Commission, European Communities, 2003, pp 1-68.
14. José L. Encarnação, "HEI! – The Human Environment Interaction", Symposium on Human Interface and the Management of Information, Human Interface 2007: Human Interface and the Management of Information. Methods, Techniques and Tools in Information Design, M.J. Smith, G. Salvendy (Eds.): Human Interface, Part I, HCII 2007, Lecture Notes in Computer Science LNCS 4557, Springer-Verlag Berlin Heidelberg 2007 pp. 623–631.
15. Papri Ghosh, Tejbanta Singh Chingtham, Mrinal Kanti Ghose and Ritam Dutta, "A Review of Modern HCI Challenges for terment of Differently Abled People", International Journal of Computational Intelligence Research, Research India Publications, 2013, vol. 9, no. 2, pp. 79-88.
16. J.C. Muzio and M. Serra, "HCI Challenges In Designing for Users with Disabilities", International IEEE Conference on HCI, August 2001, New Orleans, vol. 1, pp.46-50.
17. Way Kiat Bong, Weiqin Chen, and Astrid Bergland, "Tangible User Interface for Social Interactions for the Elderly: A Review of Literature", Review Article, Hindawi Advances in Human-Computer Interaction, vol. 2018, Article ID 7249378, pp 1-15.
18. Kritina Holden, Neta Ezer and Gordon Vos, "Evidence Report: Risk of Inadequate Human-Computer Interaction", Human Research Program Space Human Factors and Habitability, June 13, 2013, National Aeronautics and Space Administration Lyndon B. Johnson Space Center Houston, Texas, pp 1-46.
19. Stephanie Van Hove, Jolien De Letter, Olivia De Ruyck, Peter Conradie, Anissa All, JelleSaldien, and Lieven De Marez, "Human-Computer Interaction to Human-Computer-Context Interaction: Towards a conceptual framework for conducting user studies for shifting interfaces", Conference: International Conference on Human-Computer Interaction, Las Vegas, Nevada, July 2018.
20. Alan Dix, Janet Finlay, Gregory D. Abowd, Russell Beale, "Human-Computer Interaction", 2005, Prentice Hall, 3rd Edition.
21. Vince Bruno, and Ghassan Al-Qaimari, "Usability attributes: an initial step toward effective user-centred development", Australian Computer Human Interaction Conference. Wollongong: OZCHI, 2004.

Dr K.Venkatesh Sharma¹ MTech, AMIETE, PhD,



Professor, Department of CSE, CVR College of Engineering, Area of Specialization: Artificial Intelligence and Machine Learning, Software Engineering, Soft Computing & Optimization Techniques, Data Mining & Data Warehousing, Big Data Analytics & Data Science. He is the member of IETE, CSI, ISTE & other professional bodies.

Dr D.Sasikala² ME, PhD, MBA, MPhil, MSc. MISTE



Professor, Department of CSE, CVR College of Engineering, Area of Specialization: Image Processing, Artificial Intelligence, Software Engineering, Soft Computing & Optimization Techniques, Data Mining & Data Warehousing, Big Data Analytics. Firmly & calmly collaborating with all to accomplish our best.