

# Real-Time Object Detection with Yolo

Geethapriya. S, N. Duraimurugan, S.P. Chokkalingam

**Abstract:** The Objective is to detect of objects using You Only Look Once (YOLO) approach. This method has several advantages as compared to other object detection algorithms. In other algorithms like Convolutional Neural Network, Fast-Convolutional Neural Network the algorithm will not look at the image completely but in YOLO the algorithm looks the image completely by predicting the bounding boxes using convolutional network and the class probabilities for these boxes and detects the image faster as compared to other algorithms.

**Keyword:** Convolutional Neural Network, Fast-Convolutional Neural Network, Bounding Boxes, YOLO.

## I. INTRODUCTION

Object detection is a technology that detects the semantic objects of a class in digital images and videos. One of its real-time applications is self-driving cars. In this, our task is to detect multiple objects from an image. The most common object to detect in this application is the car, motorcycle, and pedestrian. For locating the objects in the image we use Object Localization and have to locate more than one object in real-time systems. There are various techniques for object detection, they can be split up into two categories, first is the algorithms based on Classifications. CNN and RNN come under this category. In this, we have to select the interested regions from the image and have to classify them using Convolutional Neural Network. This method is very slow because we have to run a prediction for every selected region. The second category is the algorithms based on Regressions. YOLO method comes under this category. In this, we won't select the interested regions from the image. Instead, we predict the classes and bounding boxes of the whole image at a single run of the algorithm and detect multiple objects using a single neural network. YOLO algorithm is fast as compared to other classification algorithms. In real time our algorithm process 45 frames per second. YOLO algorithm makes localization errors but predicts less false positives in the background.

## II. LITERATURE SURVEY

You Only Look Once: Unified, Real-Time Object Detection, by Joseph Redmon. Their prior work is on

detecting objects using a regression algorithm. To get high accuracy and good predictions they have proposed YOLO algorithm in this paper [1]. Understanding of Object Detection Based on CNN Family and YOLO, by Juan Du. In this paper, they generally explained about the object detection families like CNN, R-CNN and compared their efficiency and introduced YOLO algorithm to increase the efficiency [2]. Learning to Localize Objects with Structured Output Regression, by Matthew B. Blaschko. This paper is about Object Localization. In this, they used the Bounding box method for localization of the objects to overcome the drawbacks of the sliding window method [3].

## III. WORKING OF YOLO ALGORITHM

First, an image is taken and YOLO algorithm is applied. In our example, the image is divided as grids of 3x3 matrixes. We can divide the image into any number grids, depending on the complexity of the image. Once the image is divided, each grid undergoes classification and localization of the object. The objectness or the confidence score of each grid is found. If there is no proper object found in the grid, then the objectness and bounding box value of the grid will be zero or if there found an object in the grid then the objectness will be 1 and the bounding box value will be its corresponding bounding values of the found object. The bounding box prediction is explained as follows. Also, Anchor boxes are used to increase the accuracy of object detection which also explained below in detail.



Figure 1: Working of YOLO

### 3.1. Bounding box predictions:

YOLO algorithm is used for predicting the accurate bounding boxes from the image. The image divides into S x S grids by predicting the bounding boxes for each grid and class probabilities. Both image classification and object localization techniques are applied for each grid of the image and each grid is assigned with a label.

Manuscript published on 28 February 2019.

\* Correspondence Author (s)

**Geethapriya.S**, M.E. Student, Department of CSE, Rajalakshmi Engineering College, Chennai, Tamil Nadu, India (E-mail: geethapriya97.sathya@gmail.com)

**N. Duraimurugan** Assistant Professor Department of CSE, Rajalakshmi Engineering College, Chennai, Tamil Nadu, India

**S.P. Chokkalingam**, Professor, Department of CSE, Saveetha School of Engineering, Chennai, Tamil Nadu, India.

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an open access article under the CC-BY-NC-ND license <https://creativecommons.org/licenses/by-nc-nd/4.0/>

Then the algorithm checks each grid separately and marks the label which has an object in it and also marks its bounding boxes. The labels of the grid without object are marked as zero.




Figure 2: Example image with 3x3 grids

Consider the above example, an image is taken and it is divided in the form of 3 x 3 matrixes. Each grid is labelled and each grid undergoes both image classification and objects localization techniques. The label is considered as Y. Y consists of 8 values.

|     |    |
|-----|----|
| y = | pc |
|     | bx |
|     | by |
|     | bh |
|     | bw |
|     | c1 |
|     | c2 |
|     | c3 |

Figure 3: Elements of label Y

Pc – Represents whether an object is present in the grid or not. If present pc=1 else 0.

bx, by, bh, bw – are the bounding boxes of the objects (if present).

c1, c2, c3 – are the classes. If the object is a car then c1 and c3 will be 0 and c2 will be 1.

In our example image, the first grid contains no proper object. So it is represented as,




Figure 4: Bounding box and Class values of grid 1.

In this grid, there exists no proper object so the pc value is 0.

And rest of the values are doesn't matter because there exist no object. So, it is represented as ?.

Consider a grid with the presence of an object. Both 5<sup>th</sup> and 6<sup>th</sup> grid of the image contains an object. Let' consider the 6<sup>th</sup> grid, it is represented as.




Figure 5: Bounding box and Class values of grid 6.

In this table, 1 represents the presence of an object. And bx, by, bh, bw are the bounding boxes of the object in the 6<sup>th</sup> grid. And the object in that grid is a car so the classes are (0,1,0). The matrix form of Y in this is Y=3x3x8.

For the 5<sup>th</sup> grid also the matrix will be little similar with different bounding boxes by depending on the objects position in the corresponding grid.

If two or more grids contain the same object then the center point of the object is found and the grid which has that point is taken. For this, to get the accurate detection of the object we can use to methods. They are Intersection over Union and Non-Max Suppression. In IoU, it will takes the actual and predicted bounding box value and calculates the IoU of two boxes by using the formulae,

$$IoU = \text{Area of Intersection} / \text{Area of Union}.$$

If the value of IoU is more than or equal to our threshold value (0.5) then it's a good prediction. The threshold value is just an assuming value. We can also take greater threshold value to increase the accuracy or for better prediction of the object.

The other method is Non-max suppression, in this, the high probability boxes are taken and the boxes with high IoU are suppressed. Repeat this until a box is selected and consider that as the bounding box for that object.

### 3.2. ACCURACY IMPROVEMENT

#### ANCHOR BOX:

By using Bounding boxes for object detection, only one object can be identified by a grid. So, for detecting more than one object we go for Anchor box.




Figure 6: An example image for anchor box



Where,  $\mathbb{1}_{ij}^{obj}$  in Equation 2, Is 1, if the jth bounding box of cell i is responsible for detecting the object. Otherwise, it is 0.

$\lambda_{coord}$  Increase the weight for the loss of bounding box coordinates.

The Confidence loss, if the object is found in a box the confidence loss is,

$$\sum_{i=0}^{S^2} \sum_{j=0}^B \mathbb{1}_{ij}^{obj} (C_i - \hat{C}_i)^2$$

Equation 3: The Confidence loss

Where,  $\hat{C}_i$  in Equation 3, Is the confidence score of the box j in cell i.

$\mathbb{1}_{ij}^{obj}$  Is 1 if the jth bounding box of cell i is responsible for detecting the object. Otherwise, it is 0.

If the object is not detected then the confidence loss will be,

$$\lambda_{noobj} \sum_{i=0}^{S^2} \sum_{j=0}^B \mathbb{1}_{ij}^{noobj} (C_i - \hat{C}_i)^2$$

Equation 4: Confidence loss if object not detected

Where,  $\mathbb{1}_{ij}^{noobj}$  in Equation 4, Is the complement of  $\mathbb{1}_{ij}^{obj}$ .

$\hat{C}_i$  Is the confidence score of box j in cell i.

$\lambda_{noobj}$  Is the weights down the loss when detecting the background.

## V. CONCLUSION

In this paper, we proposed about YOLO algorithm for the purpose of detecting objects using a single neural network. This algorithm is generalized, it outperforms different strategies once generalizing from natural pictures to different domains. The algorithm is simple to build and can be trained directly on a complete image. Region proposal strategies limit the classifier to a particular region. YOLO accesses to the entire image in predicting boundaries. And also it predicts fewer false positives in background areas. Comparing to other classifier algorithms this algorithm is much more efficient and fastest algorithm to use in real time.

## REFERENCES

1. Joseph Redmon, Santosh Divvala, Ross Girshick, "You Only Look Once: Unified, Real-Time Object Detection", The IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2016, pp. 779-788.
2. YOLO Juan Du1, "Understanding of Object Detection Based on CNN Family", New Research, and Development Center of Hisense, Qingdao 266071, China.
3. Matthew B. Blaschko Christoph H. Lampert, "Learning to Localize Objects with Structured Output Regression", Published in Computer Vision – ECCV 2008 pp 2-15.

4. Wei Liu, Dragomir Anguelov, Dumitru Erhan, "SSD: Single Shot MultiBox Detector", Published in Computer Vision – ECCV 2016 pp 21-37.
5. Lichao Huang, Yi Yang, Yafeng Deng, Yinan Yu DenseBox, "Unifying Landmark Localization with End to End Object Detection", Published in Computer Vision and Pattern Recognition (cs.CV).
6. Dumitru Erhan, Christian Szegedy, Alexander Toshev, "Scalable Object Detection using Deep Neural Networks", The IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2014, pp. 2147-2154.
7. Shaoqing Ren, Kaiming He, Ross Girshick, Jian Sun, "Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks", Published in Advances in Neural Information Processing Systems 28 (NIPS 2015).
8. Joseph Redmon, Ali Farhadi, "YOLO9000: Better, Faster, Stronger", The IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2017, pp. 7263-7271.
9. Jifeng Dai, Yi Li, Kaiming He, Jian Sun, "R-FCN: Object Detection via Region-based Fully Convolutional Networks", published in: Advances in Neural Information Processing Systems 29 (NIPS 2016).
10. Karen Simonyan, Andrew Zisserman, "Very Deep Convolutional Networks for Large-Scale Image Recognition", published in Computer Vision and Pattern Recognition (cs.CV).