

# An approach to face Detection and Recognition using Viola Jones

Arvind Malge, Hardikkumar M. Dhaduk, Mallikarjuna Shastry P.M

*Abstract: The face of human may be a muddled visual dimension model and is therefore extremely difficult to create a computing model for the cognitive basic process. The paper displays a system for perceiving the human face smitten by image-based highlights. The technique proposed is available in 2 phases. In an image using Viola-Jones calculation, the main preparation distinguishes the human face. Using a combination of Principle Component Analysis and Artificial Neural Network, the distinguished face within the image is perceived at the next stage contrasting the execution of the proposed strategy with existing ways. The proposed strategy recognizes greater accuracy in the acknowledgement.*

*Index Terms: Face Recognition, Viola-Jones algorithm, PCA, AAN*

## I. INTRODUCTION

Face location is among the most important propelled themes in computer vision and example acknowledgment networks and it's the most important advance for facial investigation techniques and among the foremost imperative problems in computer vision like face acknowledgment, outward appearance, head following, face check. With the entry of the online and low-cost computerized cameras, notwithstanding amazing image altering programming, for example, Adobe Photoshop, normal clients have additional access to the instruments of computerized doctoring than previously.

The technique proposed is available in 2 stages. Since the face is recognized in the underlying advance by bound facial characters, the appropriate features are removed from the facial image. They're then in that way, it'll be hard to understand the facial structure of these features anyway.

Viola-Jones computation that wears down hair features and classifier Haar Cascade as the modifier is used for face revelation. To understand the face-recognized mix of enormous stage assessment and imagine neural arrangement, real results are aggregated.

The point of the proposed technique is to discover the face in an image and set up a standard image database for the individual.

### Revised Manuscript Received on April 24, 2019

Arvind Malge, Department of C&IT, REVA University, Bangalore, India.  
Hardikkumar M. Dhaduk, Department of C&IT, REVA University, Bangalore, India.

Mallikarjuna Shastry P.M, Department of C&IT, REVA University, Bangalore, India.

## II. RELATED WORK

Numerous algorithms and techniques for face recognition have been advanced inside the past by way of researchers. Those are mentioned on this section.

Muhammad Murtaza Khan et al. [5] proposed a method which would improve the rate of popularity compared with PCA. The proposed scheme applied PCA for all checking situations. A 90 percent recognition charge is indicated for the base ORL records. [6].

The feature set is obtained by maximizing the class separation of additionally conferred an ensemble based mainly on face recognition within the associated training data. Abhijeet Sekhon et al. [7] proposed a backpropagation program based primarily on AAN learning algorithms to recognize human faces. It is suggested that a facial quality system know registered faces at database intervals and new faces not listed in the database. Mitsuharu Matsumoto. [8] proposed associate assessment adjustment face recognition system the usage of the neural network. Subjective data together with face within the photograph is directly applied with face recognition machine as an associate evaluation function for parameter placing. In this twostep modular architecture, Dhirender Sharma et al. [8] proposed a method that provides improvised matching score. The face image is decomposed into three sub - images in the first step. In the second modular architecture one-degree sub photograph is solved redundantly using neural network models and feature extraction techniques. an early instance of employing eigen vectors in face popularity became achieved by means of kohonen wherein an easy neural network is proven to carry out face recognition for aligned and normalized face snap shots.

Kirby and sirovich counselled that pics of faces can be linearly encoded the usage of a modest quantity of foundation photos. The idea is arguably proposed first by means of person in 1901 after which by way of hotelling. [9] in 1933. Given a group of N by means of m pixel schooling. Snap shots represented as a vector of length m x n, foundation vectors spanning a foremost subspace are determined such that the imply rectangular mistakes among the projection of the education pics onto this subspace and the original image is minimized. they call the set of most suitable basis vectors eigen snap due to the fact that these are surely the eigen vectors of the covariance matrix computed from the vectorized face pictures in the training set.

There are so many strategies and algorithms to be had to discover human face from the image with the complex heritage. Viola-jones algorithm, ANN, and PCA are major three of them which can be comparably higher than others.

### III. METHODOLOGY

The proposed procedure process stream is as appeared in Figure 1.

Local Face-Database is used as a standard image dataset in the proposed methodology. This dataset includes 10 BPP pics with 215\*215-pixel resolution. Dataset used a frontal view of 3 different persons faces.




Figure 1. Proposed methodology

#### A. Pre-processing

A ten standard pictures of every individual is caught utilizing a camera in RGB mode and stored in local database which is created during dataset creator module. In Pre-processing step differentiate extending is carried out on gained image wherever white pixels are created additional white and dark pixels are created blacker.

#### B. Face detection

After distinction extending Viola-Jones calculation is connected for identifying face within image. Viola-Jones indicator was picked as associate identification calculation insight of its high location rate, what is additional, its capability to stay running increasingly. The locator is best on frontal photos of appearances.

The Integral Image may be a calculation for practical age of the combination of component forces in a much predefined

square shape in a very picture. It is an immediate calculation of Haar-like highlights. Computation of whole rectangular territory within primary image is incredibly proficient, involving just four increments for any self-assertive square shape measure.




Figure 2. Haar

The above Figure 2 Haar highlights can be of different tallness and dimension. From Haar embody connected to face combination of dark element and a whole of the white element are determined and deducted to get solitary esteem.

Haar alternatives are registered everywhere throughout the picture which can be almost 160000+ highlights per picture. Rundown the full picture part thus subtracting them to get one esteem isn't green in genuine time programs.

1	1	1	→	1	2	3
1	1	1		2	4	6
1	1	1		3	6	9

To get a substitution pixel appreciation the top pixels and left pixels are appreciation included then each of the qualities around the fix are added appreciation to get the aggregate of all pixel appreciation.

#### C. Feature extraction

The calculation of PCA is used to place highlights off a trimmed and resized image of the face. It is used as a tool in a discerning investigation and an illustrative examination of what is a lot of, is used to vary higher - dimensional information in lower - dimensional statistics.

A set of facial pictures in size M x M preparation set are changed over into lower dimensional face images by using central segment examination method. Central section examination is one in all the numerical techniques used to modification over a lot of connected N factors into a lot of unrelated k factors known as of as main components the quantity of significant segments could no longer be specific or similar to the number of specific characteristics, i.e.,  $K < N$ . For face recognition applications, one of the clinical strategies used in this definition, modified as an essential component examination, is the exchange of many associated N-face images into several uncorrelated images of the K-face known as their own faces.

To decrease the number of counts the elements of first photos should be diminished before ascertaining the necessary issue parts. in view that best components show less route



what's a lot of, additional clamor, simply initial few predominant components (state N) are chosen and also the final components may be ignored as they embody a lot of clamors. The training set of M pics is spoken to simplest faces of their own with the greatest Eigen esteems and represents the highest distinction in the combination of facial images and satisfactory raw faces. Within the wake of Eigen's discovery every image in the preparation set is also spoken to by victimization, an immediate mixture of Eigen-faces and vectors. The knowledge picture shows the acknowledgement.




Figure 3. Flowchart of PCA algorithm

To lower the number of counts the elements of the first photos should be diminished before ascertaining the necessary issue parts. in view that best components show less route what's a lot of, additional clamor, simply initial few predominant components (state N) are chosen and also the final components may be ignored as they embody a lot of clamors. Training set of M pics are spoken to the simplest eigen-faces with largest Eigen esteem represents most distinction within the association of face images and satisfactory rough face. within the wake of discovering Eigen faces every image in preparing set is also spoken to by victimization, an immediately blend of Eigen-faces and can be spoken to vectors. Knowledge image highlights are contrasted and well-known database highlights for acknowledgement.

**D. Face recognition**

Appropriate picture data simulated the use of a complete ANN at one time. The input of the preceding stage is an array of vectors. Networks are taught as input by facial caption. The range of networks can represent a picture of the number of people in the information. However, in order to know the

idea of artificial neural networks, the enhancement of the neural network machine must be noted as a primary concern. Common Neural Networks framework inside the mind has neurons in view of the fundamental developing squares. All neurons are associated through a course to hold electrical cautions called neurotransmitters. They talk through these ways and concerning their region unit 100 billion neurons in a surpassing mind. Each cell has entered and yields. in a fundamentally the same as way, the PC made counterfeit system has contributions for embedding the measurements, output for giving network yield and shrouded layer for a procedure the actualities and preparing of the network as demonstrated in figure 4.




Figure 4. Basic structure of Artificial neural networks (ANN)

The assortment of neurons inside the entry layer is a clone of the quantity of eigen faces, the fluctuation of neurons inside the shrouded layer is 10, and the type is also feed back to the engendering network. Remember that a cell that spoke to as  $f(x)$  will determine its yield as  $yield = input1 + input2$  as shown in figure 5. the capacity  $f(x)$  might be an impartial capacity since it picked up exchange or enhance any an incentive to the approaching sources of info anyway it just gives the benefit of approaching information sources. you'll utilize a numerical trademark that grasps to speak to the higher than an element.




Figure 5. Individual neuron cell

The set of guidelines returned-proliferation is used in stratified feed-forward ANN. The neurons send their pointers directly here in the course of sending and, moreover, the blunders are spread backwards. Back-propagation reduces this error until the training information is learned by ANN. Through the back-propagation strategy, neural systems think about and select the association loads between sources of information, yields, and concealed cells. Initially, irregular loads should be delegated to those systems that could be balanced in order to identify the error.

Desired output – Calculated output = System differential error Used.

To limit the method of blunder back - propagation. This strategy uses a load, input,





output, error and learning rate ( $\alpha$ ) recipe to reduce errors.

#### IV. RESULTS AND DISCUSSION

Using Viola-Jones approach we are creating two local dataset that are used to evaluate the performance of the system. In the first dataset two individual people faces are used with 1 to 5 training and testing images for each people as shown in figure 6, and their recognition rate is very low. Second dataset has used two individual people faces with 1 to 10 training and testing images as shown in figure 7, and their recognition rate is very high.



Figure 6. 1 to 5 images for Dataset with crop faces



Figure 7. 1 to 10 images for Dataset with crop faces

The images are transformed into greyscale and stored in the dataset with crop faces as shown in figure 8, For face detection using Viola Jones approach. figure 9 shows face detection using an approach to Viola-Jones.



Figure 8. Dataset with different people crop faces



Figure 9. Face identified by Voila-Jones approach

PCA is applied for extraction of features and reduction of dimensions on the detected cropped images. Each dataset uses a distinctive number of pictures for training and testing. Second dataset exhibits high rates of recognition with 1 to 10 images, while first dataset shows low recognition rates with 1 to 5 images.

Primary alternatives of the face are known by Voila-Jones calculation set apart through bounding box with a name. 68 coordinates are utilized for choosing the nodes identical to the known facial element of the face.

The highlights extricated by Voila-Jones calculation are depicted as nodes and are joined to make a shape guaranteeing that every node is associated in this manner, the associated lines are 68 coordinates with reference numbers. The records of the 68 facilitates are imagined on the picture Figure 10.




Figure 10. Facial Landmark

## V. CONCLUSION

The identification of human face is quite difficult if the "face" is somebody known, or obscure, utilizing, for this reason, an ID-Face of appearances in order to support input face. Viola-Jones strategy is utilized to recognize and crop on every dataset. First database and second dataset are utilized each with 3 people and 1 to 5 pictures are deciding for every person in first dataset and 1 to 10 pictures are deciding for every person in second dataset. An automatic face recognition based on Viola-Jones, a fusion of PCA and ANN techniques, is implemented in specific work. The system with manual face detection and automatic face recognition did not have more than 94 percent accuracy due to the limited number of individual faces used for the PCA transformation. The fully automated system for face detection and recognition could be used.

## REFERENCES

1. Anil K. Jain, "Face Recognition: Some Challenges in Forensics", IEEE International Conference on Automatic Face and Gesture Recognition, pp 726-733, 2011.
2. Ming Zhang and John Fulcher "Face Perspective Understanding Using Artificial Neural Network Group Based Tree", IEEE International Conference on Image Processing, Vol.3, pp 475-478, 1996.
3. Tahia Fahrin Karim, Molla Shahadat Lipu, Md. Lushanur Rahman, Faria Sultana, "Face Recognition using PCA Based Method", IEEE International Conference on Advanced Management Science, vol.13, pp 158-162, 2010.
4. Nawaf Hazim Barnouti, Wael Esam Matti "Face Detection and Recognition Using Viola-Jones with LDA and Square Euclidean Distance", IJACSA - International Journal of Advanced Computer Science and Applications, Vol. 7, No. 5, 2016.
5. Muhammad Murtaza Khan, Muhammad Yonus Javed and Muhammad Almas Anjum, "Face Recognition using Sub-Holistic PCA", IEEE International Conference on Information and Communication Technology, pp 152-157, 2005.
6. Rammohan Mallipeddi and Minhoo Lee, "Ensemble Based Face Recognition using Discriminant PCA Features" IEEE International Conference on Computational Intelligence, pp 1-7, June 2012.
7. Abhjeet Sekhon and Pankaj Agarwal, "Face Recognition Using Back Propagation Neural Network Technique", IEEE International Conference on Advances in Computer Engineering and Applications, pp 226-230, 2015.
8. Mitsuharu Matsumoto, "Cognition Based Contrast Adjustment using Neural Network Based Face Recognition" IEEE International Conference on Industrial Electronics, pp 3590-3594, 2010.

9. Dhirender Sharma and JoydipDhar, "Face Recognition using Modular Neural Networks", IEEE International Conference on Software Technology and Engineering, 2010.
10. Janarthany Nagendrajah, "Recognition of Expression Variant Faces- A Principle Component Analysis Based Approach for Access Control" IEEE International Conference on Information Theory and Information Security, pp 125-129, 2010.
11. Maria De Marsico, Michele Nappi, Daniel Riccio and Harry Wechsler, "Robust Face Recognition for Uncontrolled Pose and Illumination Changes" IEEE Transaction on Systems, Man and Cybernetics, vol.43, No.1, Jan 2013.

## AUTHORS PROFILE



**Arvind Malge** currently pursuing M. Tech in CSE at REVA University, Bangalore and completed B.E in EEE from Guru Nanak Dev Engineering College Bidar.



**Hardikkumar M. Dhaduk** currently pursuing M. Tech in Data Engineering and cloud computing at REVA University, Bangalore and completed B.E in CSE from Om Engineering College, Junagadh, Gujarat.



**Dr. Mallikarjuna Shastry P.M** holds Ph. D. on Fault Tolerance in Distributed Systems from VTU, M. Tech. in CSE from MSRIT and B. E. in CSE from Karnataka University Dharwar. He has totally 23 years of vast experience in teaching in CSE/ISE. He has published and presented several papers in International Journals and Conferences respectively. His areas of Interest are, Distributed Computing, Cloud Computing, Computer Architecture, Information and Networks Security. Image processing. Currently he is guiding two candidates for Ph. D. under VTU.