

# Reusable Rockets and Multi-Planetary Human Life

R. Hariharan, Lenin Rakesh N, Ravi D

**Abstract:** *In this era of clean energy, recycling materials, and green earth. We need to find another place to live other than earth, finding other planets that can help human life to sustain, because of the climatic change and depletion of natural resources may be we go extinct like as dinosaurs. For human life to be multi-planetary transportation plays a major role. Because it is not easy to travel between planets. It takes much time, fuel, money, and resources to do space travel. To overcome this problem reusable rockets are the solution. Reusable rockets are the key that can open the number of possibilities to make human life multi-planetary. They have made a rocket which is reusable. Their Falcon 9 is the first ever rocket which was reused, Falcon heavy which can lift a payload of 64 tons into lower earth orbit and Dragon spacecraft which is designed to deliver both cargo and people to orbiting destinations, Falcon 9 is used to lift this dragon spacecraft. SpaceX along with NASA is doing so many researches to create a sustainable environment on Mars and to make human life multi-planetary.*

**Keywords :** Dragon spacecraft, Payload, NASA

## I. INTRODUCTION

Since the launch of the first rocket in 1957 which is capable of launching a satellite into space [1], all the rocket parts have gone waste after launch. Usually, rockets have 3 stages after launch the first stage falls into the ocean and the second stage burns out while re-entering into the atmosphere third stage is a satellite launch [2]. In this case, some part of the vehicle is reused to construct a new vehicle that is used for further launching of the rockets[3], other than that there are no big changes were made to reuse a rocket until 2015. On December 21, 2015, SpaceX successfully achieved a first-ever orbital class rocket landing[4]. This gave a new definition for reusability of a rocket because in this case the whole rocket is reusable and can be landed again for another satellite launch. The first ever rocket which landed back on earth after launch is Falcon 9. By making a rocket reusable we can send many satellites and do more space trips in less time because we are not constructing a new rocket every time when we needed to launch a satellite, we are using the previously used rocket here we can save more time and also money.

If we can send a rocket to space and again land on earth, then we can use that technique and land rocket on other

**Revised Manuscript Received on August 22, 2019.**

**R. Hariharan**, Department of Mechanical Engineering, Bharath Institute of Higher Education and Research, Chennai, Tamilnadu, India. Email: mech.hariharan17@gmail.com

**Lenin Rakesh N**, Department of Mechanical Engineering, Bharath Institute of Higher Education and Research, Chennai, Tamilnadu, India. Email: leninrakesh@gmail.com

**Ravi D**, Department of Mechanical Engineering, Bharath Institute of Higher Education and Research, Chennai, Tamilnadu, India. Email: ravivsravi.aero@gmail.com

planets and can also bring it back to earth. By this, we can send people to Mars and bring them back. In the first few

rockets, we can send some resources which are necessary for life to sustain to Mars after that we can send humans to make use of those resources to create a sustainable environment on the Mars. NASA wants to have humans on Mars by 2030 while Elon Musk's SpaceX wants to get a human on Mars by 2026. NASA says there will be three phases for the journey to Mars, they will be, earth relevant, providing ground, earth independent[5]. These are the tests that are going to be conducted on the people so that they can sustain such spacetravels.

## II. REUSABLE ROCKETS

### A. FALCON 9

The first historically speaking rocket to land back on earth is Falcon 9. The name Falcon 9 originated from its nine Merlin motors octa web. With its 9 first-arrange Merlin motors grouped together, Falcon 9 can support up to two motor shutdowns during flight and still effectively complete its main goal. Octa web decreases the length and weight of the Falcon 9 push structure.

### The Nine Merlin Engine Octa web Falcon 9's Payload

To LEO (Low Earth Orbit) -22800 kg  
To MARS -4020 kg

### B. Working:

Usually, rockets have three stages of flight but for Falcon 9 it has only two stages.

### C. First Stage:

Bird of prey 9's first stage fuses nine Merlin motors and aluminum-lithium combination tanks containing fluid oxygen and rocket-grade lamp oil (RP-1) charge. After start, a hold-before-discharge framework guarantees that all engines are checked for full-push execution before the rocket is discharged for flight. The main stage motors are bit by bit throttled close to the part of the arrangement stage trip to constrain dispatch vehicle quickening as the rocket's mass abatements with the consuming of fuel[7],[9],[11].

### D. Second Stage:

The subsequent stage, controlled by a solitary Merlin vacuum motor, conveys bird of prey 9's payload to the ideal circle.

### E. FALCON 9 STRUCTURE BODY:

The dividers of Falcon 9 are made with aluminum-lithium combination, a material made

more grounded and lighter than aluminum by the expansion of lithium.

### F. Grid Fins:

The dividers of Falcon 9 are made with aluminum-lithium combination, a material made more grounded and lighter than aluminum by the expansion of lithium.




Figure – 1 Grid Fins

### F. Landing Legs

Bird of prey 9 was planned from the earliest starting point to be completely reusable and conveys landing legs which will arrive the rocket securely on earth after take-off.



Figure – 2 Landing Legs

### G. FALCON HEAVY

It is the most dominant operational rocket on the planet by two elements. Initial one is that it can lift around 64 tons into space and the other is that it can lift more than double the payload of the following nearest operational vehicle at 33% of its expense.

Bird of prey substantial is the successor of Falcon 9. Its first stage is made out of three Falcon 9 nine-motor centers which can create more than 5million pounds of push. Bird of prey overwhelming was structured from the initiation to convey people into space. By that, it can give the plausibility of traveling to the blemishes with the team.

#### PAYLOAD:

To LEO -63800kg  
To MARS -16800kg

#### WORKING:

Like falcon 9, falcon heavy also have only two stages.

#### First Stage:

Three Falcon 9 rockets join to shape bird of prey substantial. The side rocketboosters are associated at the highest point of the middle center's fluid oxygen tank and at the base. Not long after the lift-off, the inside center motors are throttle down. After the side centers discrete, the middle center motors throttle back up to full push[8],[10],[12].




Figure –3 Three nine engine cores

#### Second Stage:

Bird of prey overwhelming draws upon Falcon 9's demonstrated plan, which limits arrange partition occasions and boosts dependability. The second organize Merlin motor, indistinguishable from its partner on Falcon 9, conveys the rocket's payload to circle after the fundamental motors cut off and the principal stage centers isolated

### H. Big Falcon Rocket (BFR):


BFR is a completely reusable dispatch vehicle and shuttle. This is the framework which is created by SpaceX. Like Falcon 9 BFR likewise has two phases of flight they are named as Super Heavy and Starship. The engineering of the space vehicle incorporates both dispatch vehicle and rocket, just as ground framework for quick propelling and relaunching.

The payload ability to earth circle of at any rate 100 tons, which makes BFR an overly overwhelming lift dispatch vehicle. The main orbital flight is wanted to dispatch by 2020[10].

Like Falcon 9 BFR likewise has two phases of flight they are named as Super Heavy and Starship


#### Stage -1

Excessively overwhelming is the SpaceX's cutting edge dispatch vehicle, it comprises of 42 raptor motors and gives a 61.8MNliftoff push. Rocket is 63 meters in length and 9meters measurement.



#### Stage-2

Starship is a reusable dispatch vehicle comprises of 7 raptor motors with an incorporated payload section.it will be worked in at any rate three variants they are-Spaceship, Tanker, Satellite conveyance rocket[13],[15],[17].



### III. FUTURE SCOPE

BFR dispatch vehicle is intended to supplant all the current SpaceX rockets and containers. SpaceX gauges that BFR dispatch cost will be less expensive than the present SpaceX armada. BFR is intended to satisfy a portion of the significant needs they are

- Long length space flights
- For shipping both freight and travelers to the blemishes
- For interplanetary transportation framework from one nation to other
- Long length flights to different planets for payload and space explorers[14],[16],[18]

### IV. MULTI PLANETARY HUMAN LIFE

Multi planetary human life is only living on different planets like as living in different nations. We should be multi-planetary species on the grounds that there will be just two ways dependent on history the first is we remain on earth perpetually until annihilation occasion emerges. We can't state it is without a doubt however inevitably history proposes that.

The subsequent choice is to turn into a space-bearing human progress and multi-planetary animal groups, which in the sense is the best choice. We just have one planet to make self-continuing urban communities that is damages, since mercury and Venus are more sweltering than that of earth and we can go on to the moons of Jupiter or Saturn, yet those are exceptionally a long way from us.

We can likewise go to our moon yet it is hard to continue there in light of the fact that it is littler additionally have no air on it and its day goes on for 29.5 days. What's more, on the opposite side, we have Mars, it is a large portion of the region of the earth, has an environment and furthermore its day goes on for about 24.4 hours[19],[21],[22].

Those everything leaves us to one alternative that is Mars. At the point when contrasted with earth blemishes is to some degree comparable. To make a blemishes trip conceivable on an enormous scale to make a self-supporting city, full reusability is basic.

To make transportation from blemishes to earth which is completely reusable, we have to create force on Mars. Since it would not bode well to leave a spaceship on Mars. We have to deliver fuel on blemishes and send the spaceships back and furthermore defaces is extremely useful for that since it has a CO<sub>2</sub> environment, water-ice in the dirt with H<sub>2</sub>O and CO<sub>2</sub>.

From each one of those, we can deliver methane (CH<sub>4</sub>) and Oxygen (O<sub>2</sub>).

From reusable rockets and by delivering charges on blemishes we can diminish the expense per ton to Mars on enormous scale.

### V. CONCLUSION

From all the above we can reason that we are not yet prepared for space voyaging and getting to be multi-planetary species however it going to be the following enormous thing In the territory of room investigation. We got all the hypothetical information that we have to investigate Mars and a portion of the training tests are additionally done and demonstrated that reusability of rockets is conceivable. Enormous FalconRocket (BFR) by SpaceX is going to assume a noteworthy job in space voyaging.

### REFERENCES

1. Tatikonda, N.C. & Naveenchandran, P. 2019, "The behaviour of a compression ignition engine under the influence of diesel and microalgae biodiesel blends", International Journal of Mechanical and Production Engineering Research and Development, vol. 9, no. 4, pp. 447-456.
2. Tatikonda, N.C. & Naveenchandran, P. 2019, "An experimental assessment on the impact of injection pressure on the characteristics of a diesel engine powered with the blend of diesel and microalgae biodiesel", International Journal of Engineering and Advanced Technology, vol. 8, no. 6, pp. 3284-3291.
3. Karthikeyan, S., Raman Balasubramanian, S.R., Ramesh, B., Raghul, S. & Sathish Kumar, S. 2019, "The automatic solar tracker chronicles", International Journal of Recent Technology and Engineering, vol. 8, no. 1, pp. 312-315.
4. Hema, R., Sundararajan, M. & Balaji, S. 2019, "Smartphone control robot with automatic firing gun", International Journal of Innovative Technology and Exploring Engineering, vol. 8, no. 9 Special Issue 3, pp. 625-627.
5. Saritha, B., Chockalingam, M.P. & Aswathy, M. 2019, "Degradation of anionic dye using Fe/TiO<sub>2</sub> composite by photocatalysis", International Journal of Innovative Technology and Exploring Engineering, vol. 8, no. 9 Special Issue 3, pp. 788-791.
6. Saritha, B., Maria Subashini, L. & Aswathy, M. 2019, "Utilization of spent coffee grounds for compost production", International Journal of Innovative Technology and Exploring Engineering, vol. 8, no. 9 Special Issue 3, pp. 908-910.
7. Fernando, J.K., Meikandaan, T.P. & Hemapriya, M. 2019, "Better utilisation of bottom ash in coal fired thermal power station", International Journal of Innovative Technology and Exploring Engineering, vol. 8, no. 9 Special Issue 3, pp. 898-900.
8. Kumar, K.S., Kiruthiga, K. & Thendral, S. 2019, "Experimental analysis on fractional substitution of bond by utilizing rice husk cinder", International Journal of Innovative Technology and Exploring Engineering, vol. 8, no. 9 Special Issue 3, pp. 1163-1165.
9. Vignesh, P., Madan, P., Mohankumar, D. & Naveenchandran, P. 2019, "Optimization of four stroke c.i. engine performance by using statistical techniques (mathematical method)", International Journal of Recent Technology and Engineering, vol. 8, no. 2, pp. 1685-1691.
10. Bharanidharan, S., Sathiyamurthy, K. & Sheeba, B. 2019, "Using co-precipitation method determining synthesis and characterization of Fe doped zinc oxide nanoparticles", International Journal of Innovative Technology and Exploring Engineering, vol. 8, no. 9 Special Issue 3, pp. 705-707.
11. Jeevanandan, D. & Vino, J.A. 2019, "Heat recovery from boiler blowdown water by using heat exchanger in thermal power plant", International Journal of Mechanical and Production Engineering Research and Development, vol. 9, no. 3, pp. 219-222.

12. Rakesh, N.L., Balambica, V. & Kannan, S. 2019, "Biogas extraction from waste orange peel by digestion process", International Journal of Mechanical and Production Engineering Research and Development, vol. 9, no. 3, pp. 323-330.
13. Meenakshi, C.M. & Krishnamoorthy, A. 2019, "The mechanical characterization of mono and hybrid fiber reinforced composites using experimental and finite element analysis methods", International Journal of Mechanical and Production Engineering Research and Development, vol. 9, no. 3, pp. 189-196.
14. Mohankumar, D., Prem Jayakumar, M., Sabarsish, R. & Naveen Chandran, P. 2019, "Modeling and experimental investigation on centrifugal blower by computational fluid dynamics", International Journal of Mechanical and Production Engineering Research and Development, vol. 9, no. 3, pp. 331-340.
15. Balambica, V., Deepak, V. & Kumar, S. 2019, "Design and efficiency of an asymmetric gear", International Journal of Mechanical and Production Engineering Research and Development, vol. 9, no. 3, pp. 223-230.
16. Manavalan, S., Balakrishnan, G. & Ramasubramaniam, S. 2019, "An effect of cobalt oxide nano additive with biodiesel blends using cid diesel engine", International Journal of Mechanical and Production Engineering Research and Development, vol. 9, no. 3, pp. 211-218.
17. Golden Renjith Nimal, R.J., Sivakumar, M. & Esakkimuthu, G. 2019, "An investigation on mechanical properties and microstructure of mg/al alloys using zn interlayer during diffusion bonding", International Journal of Mechanical and Production Engineering Research and Development, vol. 9, no. 3, pp. 125-130.
18. Hariharan, R., Raja, R. & Vasu, S. 2019, "Mechanical and tribological behaviour of thin tan coating produced on AISI 1018 substrate by DC magnetron sputtering", International Journal of Recent Technology and Engineering, vol. 7, no. 6, pp. 591-598
19. Manavalan, S., Rai, R., Kumar, R.R., Chaudhary, R.K. & Chaudhary, S.K. 2019, "Impact of modified piston - A review", International Journal of Recent Technology and Engineering, vol. 8, no. 6, pp. 616-620.
20. Manavalan, S., Gopi, A., Arivarasu, J., Abishek Ahi, A. & Chandru, S. 2019, "Review on ceramic disc brake system", International Journal of Recent Technology and Engineering, vol. 7, no. 6, pp. 612-615.
21. Sabarish, R. & Jeya Kumar, M.P. 2019, "The design and analysis of piston - Steady state thermal analysis using "ansys"", International Journal of Mechanical and Production Engineering Research and Development, vol. 9, no. 3, pp. 197-204.
22. Ravi, D. 2019, "CFD simulation of solar loading in car", International Journal of Mechanical and Production Engineering Research and Development, vol. 9, no. 3, pp. 231-236.

### AUTHORS PROFILE



**R. Hariharan** Assistant Professor, Department of Mechanical Engineering, Bharath Institute of Higher Education and Research, Chennai, India.



**Lenin Rakesh N** Assistant Professor, Department of Mechanical Engineering, Bharath Institute of Higher Education and Research, Chennai, India.



**Ravi D** Assistant Professor, Department of Mechanical Engineering, Bharath Institute of Higher Education and Research, Chennai, India.