

Injection, Execution and Infection Working of Ransom ware



M. Z. Shaikh, Sulakshana B. Mane

Abstract: Ransom ware is type of Cyber malware which is used by attacker to block the computer system until some ransom is paid by victim .It propagates by malicious email attachments, links offering free software internet downloads etc.During given time it has to pay money which is demanded by ransom ware. This paper indicates the introduction of Ransom ware. How it works and types, attack methodology and threat carriers of Ransom ware and preventative precautions

Keywords: Ransom ware, locker, Encryption, Crime ware, Prevention



Fig.2.1 Types of Ransom ware

I. INTRODUCTION

Ransom ware it has been built upon two words “Ransom and Malware”. To define Ransom ware is malware infection, which is caused by a malware program that infects, locks or takes control of a system by giving full control of the victim machine to the attacker and enables the attacker to demand heavy ransom to undo it. The attacker is empowered with full authorization to use the victim machine to extract heavy and continuous ransom and secondly to steal the confidential data lying in the machine. On utmost exploitation, this can also lead to network level infection, posing heavy loss to an organization. The Ransom ware is a leading threat to confidential information of the countries which need to be protected. There are many methods to avoid them but very few methods to bypass the ransom ware and get our data without paying ransom

II. TYPES OF RANSOM WARE

- 1) Encrypting Ransom ware: Which uses encryption algorithm it is used in such a way that to block system files and demand Ransom the victim for decrypt the blocked contents. Example cryptowall, cryptolocker
- 2) Locker Ransom ware: Ransom ware locks the victim’s computer in such a way that it is too impossible to access the desktop. They demand ransom to unlock the infected computer. Figure [2.1] shows types of Ransom ware

III. KEY CHARACTERISTICS

It has some key characteristics apart from the malware

1. Unbreakable encryption
2. It encrypts all kind of files
3. I will display an image or message in such a way that that lets you know “your data has been encrypted and that you have to pay a specific amount to get it back.
4. It can change the filename, so you can’t predict the affected data this is one of the social engineering tricks used to confuse victims into paying the ransom.
5. It requests payment in Bit coins.
6. The ransom payment has a time limit deadline of time limit the ransom will increase ,but the data will be destroyed and lost ever
7. It spread to other PCs connected in local network.
8. It has data excretion capabilities.
9. It some times ransom note is translated into the victim’s language so increase the chance for the ransom to be paid.

IV. THREAT CARRIERS OF RANSOM WARE ATTACK

In this day and age, everyone is troubled by the computer malware, threats –unwanted and malicious software code that hacks computer system causing malfunction data theft and there is loss of business their target is business individuals that threat propagated by different attack factors from that is shown in Figure [4.1]

1. Unsolicited Emails (Phishing/Spear Phishing)
2. Unsolicited Internet downloads
3. Weak endpoint protection
4. Peer-To-Peer file transfer (USB / File shares)
5. Malware advertisement
6. SMS messages
7. Self propagation

Revised Manuscript Received on February 05, 2020.

* Correspondence Author

Dr. M. Z. Shaikh, Principal, Bhagubhai Mafatlal Polytechnique, Navi Mumbai, India.

Prof. Sulakshana B. Mane, Bhrarati Vidyapeeth College of Engineering, Navi Mumbai, India.

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)





Fig 4.1 Entry points of Ransom ware




Fig.5.2 Ransom ware working

V. ATTACK METHODOLOGY

First it is very important that to understand how attack actually works. Looking to the facts of its damage, it is evident that ransom ware is not like any other attack, which can be easily detected and prevented by putting/tuning some security products, but it is much more than that. Shown in figure [5.1] As per our preliminary research, we have divided the entire process into phases which will give a clear understanding of the same. The proposed paper has explained the working and the authors have divided the working into three main parts that is the first step is attack here the injection to the system with



Fig. 5.1 working of attack

5.1.1 Injection

Attacker writes a targeted malicious code which is infected to the system through threat carrier there are so many threat carriers' emails, internet download, and social engineering.

5.1.2 Execution

After injection of a bot file it creates its location on operating system he will wait for a trigger this can be human or system generated action .once the trigger is done this install itself on the file system of the OS and starts locating data source in the file system

5.1.3 Infection The bot is capable to take the full control of the machine's data stores in the file system this control is given to the attacker to pass on the encryption command which encrypt the confidential data. The private key to decrypt the same is retained by the attacker and is shared only when the asked ransom is paid we have to understand the composition of this attack. The fundamental challenge is that, when this bot is installed on the target machine, it erases all the traces of its existence and hence it is very difficult to track the manifestation, so in order detect this attack .that Ransom ware working as shown in the figure [5.2]

Any ransom ware classified into three parts attacker writing malicious code infected which infected through threat vectors take whole control of victims machine in his hand and display a message on the screen who locks and encrypts the machine when u pay a ransom they restore the machine

Industry Challenges

- The integrity change of an object is irreversible in nature, which means without a valid key the change cannot be reverted
- No assurance, where the files will be restored back, even after the ransom is paid
- Not a single attack to track, Ransom ware / Destruct ware is a combination of multiple attacks, which makes the containment difficult
- Hard to detect as the carriers and vectors used in these kinds of attacks are often trusted
- Change in the attack surface, with each newer version of the same, making it hard to establish an uniform controlled environment
- Use of weak / unsecure protocols / services which normally points to the usage of legacy windows systems and thereby usage of weak services like RDP, SMB etc.
- Unpatented impact in terms of synchronized infection. It is also found that the infection is often random, which adds to the pain in detection.

VI. HOW TO PROTECT YOUR COMPUTER FROM RANSOM WARE

Several antivirus companies have come up with always to remove the virus but that does not decrypt the files unfortunately, you don't have many options unless you backups of your data but you can protect your computer with some common sense

VII. PRIMITIVE PREVENTATIONS

- Antivirus should always update.
- Spam messages should not opened or replied
- Regularly take a external storage of confidential data.
- Don't visit the unsafe and unreliable websites
- Don't click on harmful links.
- Required some precautions when u access the Wi-Fi network
- Keep the windows firewall turned on and properly configured all times
- Apply patches and use operating system antivirus, browsers, Adobe flash player Java.



